Contents of Volume 99

(All rights reserved)

Cooper KA, Donovan JL, Waterhouse AL & Williamson G Cocoa and health: a decade of research (Review Article). 1

Spencer JPE, Abd El Mohsen MM, Minihane A-M & Mathers JC Biomarkers of the intake of dietary polyphenols: strengths, limitations and application in nutrition research (Review Article). 12

Whelan K, McCarthy S & Pufulete M Genetics and diet–gene interactions: involvement, confidence and knowledge of dietitians. 23

Perona JS, Avella M, Botham KM & Ruiz-Gutierrez V Differential modulation of hepatic very low-density lipoprotein secretion by triacylglycerol-rich lipoproteins derived from different oleic-acid rich dietary oils. 29

Lin C-c & Yin M-c Effects of cysteine-containing compounds on biosynthesis of triacylglycerol and cholesterol and anti-oxidative protection in liver from mice consuming a high-fat diet. 37

Tinahones FJ, Cardona F, Rojo-Martínez G, Almaraz MC, Cardona I, Vázquez-Mellado J, Garrido-Sánchez L, Collantes E & Soriguer F Decreased levels of uric acid after oral glucose challenge is associated with triacylglycerol levels and degree of insulin resistance. 44

Franczyk-Żarów M, Kostogrys RB, Szymczyk B, Jawień J, Gajda M, Cichocki T, Wojnar L, Chlopicki S & Pisulewski PM Functional effects of eggs, naturally enriched with conjugated linoleic acid, on the blood lipid profile, development of atherosclerosis and composition of atherosclerotic plaque in apolipoprotein E and low-density lipoprotein receptor double-knockout mice (apoE/LDLR$^{-/-}$). 49

Shih C-K, Chang J-H, Yang S-H, Chou T-W & Cheng H-H β-Carotene and canthaxanthin alter the pro-oxidation and antioxidation balance in rats fed a high-cholesterol and high-fat diet. 59

Chung MJ, Park KW, Kim KH, Kim C-T, Baek JP, Bang K-H, Choi Y-M & Lee S-J Asian plantain (*Plantago asiatica*) essential oils suppress 3-hydroxy-3-methyl-glutaryl-co-enzyme A reductase expression *in vitro* and *in vivo* and show hypocholesterolaemic properties in mice. 67

Rubin D, Helwig U, Nothnagel M, Lemke N, Schreiber S, Fölsch UR, Döring F & Schrezenmeir J Postprandial plasma adiponectin decreases after glucose and high fat meal and is independently associated with postprandial triacylglycerols but not with − 11388 promoter polymorphism. 76

Ezendam J & van Loveren H *Lactobacillus casei* Shirota administered during lactation increases the duration of autoimmunity in rats and enhances lung inflammation in mice. 83

Field CJ, Van Aerde JE, Robinson LE & Clandinin MT Effect of providing a formula supplemented with long-chain polyunsaturated fatty acids on immunity in full-term neonates. 91

Williams YJ, Rea SM, Popovski S, Pimm CL, Williams AJ, Toovey AF, Skillman LC & Wright A-DG Reponses of sheep to a vaccination of entodinial or mixed rumen protozoal antigens to reduce rumen protozoal numbers. 100

Costabile A, Klinder A, Fava F, Napolitano A, Fogliano V, Leonard C, Gibson GR & Tuohy KM Whole-grain wheat breakfast cereal has a prebiotic effect on the human gut microbiota: a double-blind, placebo-controlled, crossover study. 110

Mishellany-Dutour A, Renaud J, Peyron M-A, Rimek F & Woda A Is the goal of mastication reached in young dentates, aged dentates and aged denture wearers? 121

Stewart-Knox BJ, Simpson EEA, Parr H, Rae G, Polito A, Intorre F, Sanchez MA, Meunier N, O'Connor JM, Maiani G, Coudray C & Strain JJ Taste acuity in response to zinc supplementation in older Europeans. 129

Jacob K, Periago MJ, Böhm V & Berruezo GR Influence of lycopene and vitamin C from tomato juice on biomarkers of oxidative stress and inflammation. 137

Damsgaard CT, Frøkiær H & Lauritzen L The effects of fish oil and high or low linoleic acid intake on fatty acid composition of human peripheral blood mononuclear cells. 147

Francis RM What do we currently know about nutrition and bone health in relation to United Kingdom public health policy with particular reference to calcium and vitamin D? 155

Gronowitz E, Lorentzon M, Ohlsson C, Mellström D & Strandvik B Docosahexaenoic acid is associated with endosteal circumference in long bones in young males with cystic fibrosis. 160

Contents of Volume 99

(All rights reserved)

Cooper KA, Donovan JL, Waterhouse AL & Williamson G Cocoa and health: a decade of research (Review Article). 1

Spencer JPE, Abd El Mohsen MM, Minihane A-M & Mathers JC Biomarkers of the intake of dietary polyphenols: strengths, limitations and application in nutrition research (Review Article). 12

Whelan K, McCarthy S & Pufulete M Genetics and diet–gene interactions: involvement, confidence and knowledge of dietitians. 23

Perona JS, Avella M, Botham KM & Ruiz-Gutierrez V Differential modulation of hepatic very low-density lipoprotein secretion by triacylglycerol-rich lipoproteins derived from different oleic-acid rich dietary oils. 29

Lin C-c & Yin M-c Effects of cysteine-containing compounds on biosynthesis of triacylglycerol and cholesterol and anti-oxidative protection in liver from mice consuming a high-fat diet. 37

Tinahones FJ, Cardona F, Rojo-Martínez G, Almaraz MC, Cardona I, Vázquez-Mellado J, Garrido-Sánchez L, Collantes E & Soriguer F Decreased levels of uric acid after oral glucose challenge is associated with triacylglycerol levels and degree of insulin resistance. 44

Franczyk-Żarów M, Kostogrys RB, Szymczyk B, Jawień J, Gajda M, Cichocki T, Wojnar L, Chlopicki S & Pisulewski PM Functional effects of eggs, naturally enriched with conjugated linoleic acid, on the blood lipid profile, development of atherosclerosis and composition of atherosclerotic plaque in apolipoprotein E and low-density lipoprotein receptor double-knockout mice (apoE/LDLR$^{-/-}$). 49

Shih C-K, Chang J-H, Yang S-H, Chou T-W & Cheng H-H β-Carotene and canthaxanthin alter the pro-oxidation and antioxidation balance in rats fed a high-cholesterol and high-fat diet. 59

Chung MJ, Park KW, Kim KH, Kim C-T, Baek JP, Bang K-H, Choi Y-M & Lee S-J Asian plantain (*Plantago asiatica*) essential oils suppress 3-hydroxy-3-methyl-glutaryl-co-enzyme A reductase expression *in vitro* and *in vivo* and show hypocholesterolaemic properties in mice. 67

Rubin D, Helwig U, Nothnagel M, Lemke N, Schreiber S, Fölsch UR, Döring F & Schrezenmeir J Postprandial plasma adiponectin decreases after glucose and high fat meal and is independently associated with postprandial triacylglycerols but not with − 11388 promoter polymorphism. 76

Ezendam J & van Loveren H *Lactobacillus casei* Shirota administered during lactation increases the duration of autoimmunity in rats and enhances lung inflammation in mice. 83

Field CJ, Van Aerde JE, Robinson LE & Clandinin MT Effect of providing a formula supplemented with long-chain polyunsaturated fatty acids on immunity in full-term neonates. 91

Williams YJ, Rea SM, Popovski S, Pimm CL, Williams AJ, Toovey AF, Skillman LC & Wright A-DG Reponses of sheep to a vaccination of entodinial or mixed rumen protozoal antigens to reduce rumen protozoal numbers. 100

Costabile A, Klinder A, Fava F, Napolitano A, Fogliano V, Leonard C, Gibson GR & Tuohy KM Whole-grain wheat breakfast cereal has a prebiotic effect on the human gut microbiota: a double-blind, placebo-controlled, crossover study. 110

Mishellany-Dutour A, Renaud J, Peyron M-A, Rimek F & Woda A Is the goal of mastication reached in young dentates, aged dentates and aged denture wearers? 121

Stewart-Knox BJ, Simpson EEA, Parr H, Rae G, Polito A, Intorre F, Sanchez MA, Meunier N, O'Connor JM, Maiani G, Coudray C & Strain JJ Taste acuity in response to zinc supplementation in older Europeans. 129

Jacob K, Periago MJ, Böhm V & Berruezo GR Influence of lycopene and vitamin C from tomato juice on biomarkers of oxidative stress and inflammation. 137

Damsgaard CT, Frøkiær H & Lauritzen L The effects of fish oil and high or low linoleic acid intake on fatty acid composition of human peripheral blood mononuclear cells. 147

Francis RM What do we currently know about nutrition and bone health in relation to United Kingdom public health policy with particular reference to calcium and vitamin D? 155

Gronowitz E, Lorentzon M, Ohlsson C, Mellström D & Strandvik B Docosahexaenoic acid is associated with endosteal circumference in long bones in young males with cystic fibrosis. 160

Crowe FL, Skeaff CM, Green TJ & Gray AR Serum *n*-3 long-chain PUFA differ by sex and age in a population-based survey of New Zealand adolescents and adults. 168
Foster E, Matthews JNS, Lloyd J, Marshall L, Mathers JC, Nelson M, Barton KL, Wrieden WL, Cornelissen P, Harris J & Adamson AJ Children's estimates of food portion size: the development and evaluation of three portion size assessment tools for use with children. 175
Foster E, O'Keeffe M, Matthews JNS, Mathers JC, Nelson M, Barton KL, Wrieden WL & Adamson AJ Children's estimates of food portion size: the effect of timing of dietary interview on the accuracy of children's portion size estimates. 185
Bordoni A, Danesi F, Malaguti M, Nunzio MD, Pasqui F, Maranesi M & Biagi PL Dietary Selenium for the counteraction of oxidative damage: fortified foods or supplements? 191
Ashwell M, Stone E, Mathers J, Barnes S, Compston J, Francis RM, Key T, Cashman KD, Cooper C, Khaw KT, Lanham-New S, Macdonald H, Prentice A, Shearer M & Stephen A Nutrition and bone health projects funded by the UK Food Standards Agency: have they helped to inform public health policy? (Workshop Report). 198
Arnaud MJ Higher calcium urinary loss induced by a calcium sulphate-rich mineral water intake than by milk in young women – Comments by Arnaud (Nutrition Discussion Forum) 207
Brandolini M, Rousset P, Boirie Y, Guéguen L & Bertiére M-C Reply by Brandolini *et al.* 210
Burns SF & Stensel DJ Effects of low- and high-volume resistance exercise on postprandial lipaemia – Comments by Burns and Stensel (Nutrition Discussion Forum). 211
Zafeiridis A & Mougios V Reply by Zafeiridis and Mougios. 212
McBurney R *Book Review.* 214
Landström E, Koivisto Hursti U-K, Becker W & Magnusson M Use of functional foods among Swedish consumers is related to health-consciousness and perceived effect (Erratum). 215
Calder PC Increasing transparency in the *British Journal of Nutrition* (Editorial). 217
Dauchet L & Dallongeville J Fruit and vegetables and cardiovascular disease: epidemiological evidence from the non-Western world (Commentary). 219
Richardson AJ *n*-3 Fatty acids and mood: the devil is in the detail (Commentary). 221
Hernández J, Garibay-Escobar A, Mendoza-Mendoza A, Pinelli-Saavedra A & Valenzuela O Effect of exogenous vitamin E on proliferation and cytokine production in peripheral blood mononuclear cells from patients with tuberculosis (Short Communication). 224
Huang H-L, Hong Y-W, Wong Y-H, Chen Y-N, Chyuan J-H, Huang C-J & Chao P-M Bitter melon (*Momordica charantia L.*) inhibits adipocyte hypertrophy and down regulates lipogenic gene expression in adipose tissue of diet-induced obese rats. 230
Rotondo S, Krauze-Brzósko K, Manarini S, Martelli N, Pecce R, Evangelista V, Donati MB & Cerletti C Inhibition by soya isoflavones of human polymorphonuclear leukocyte function: possible relevance for the beneficial effects of soya intake. 240
Goto T, Shirakawa H, Furukawa Y & Komai M Decreased expression of carbonic anhydrase isozyme II, rather than of isozyme VI, in submandibular glands in long-term zinc-deficient rats. 248
Urías-Silvas JE, Cani PD, Delmée E, Neyrinck A, López MG & Delzenne NM Physiological effects of dietary fructans extracted from *Agave tequilana* Gto. and *Dasylirion* spp. 254
McNeil CJ, Hay SM, Rucklidge GJ, Reid M, Duncan G, Maloney CA & Rees WD Disruption of lipid metabolism in the liver of the pregnant rat fed folate-deficient and methyl donor-deficient diets. 262
Bocanegra A, Nieto A, Bastida S, Benedí J & Sánchez-Muniz FJ A Nori but not a Konbu, dietary supplement decreases the cholesterolaemia, liver fat infiltration and mineral bioavailability in hypercholesterolaemic growing Wistar rats. 272
Weghuber D & Widhalm K Effect of 3-month treatment of children and adolescents with familial and polygenic hypercholesterolaemia with a soya-substituted diet. 281
Pouteau E, Rochat F, Jann A, Meirim I, Sanchez-Garcia J-L, Ornstein K, German B & Ballèvre O Chicory increases acetate turnover, but not propionate and butyrate peripheral turnovers in rats. 287
Martins VJB, Martins PA, das Neves J & Sawaya AL Children recovered from malnutrition exhibit normal insulin production and sensitivity. 297
Wang Y, Gho WM, Chan FL, Chen S & Leung LK The red clover (*Trifolium pratense*) isoflavone biochanin A inhibits aromatase activity and expression. 303
Paineau D, Payen F, Panserieu S, Coulombier G, Sobaszek A, Lartigau I, Brabet M, Galmiche J-P, Tripodi D, Sacher-Huvelin S, Chapalain V, Zourabichvili O, Respondek F, Wagner A &

Bornet FRJ The effects of regular consumption of short-chain fructo-oligosaccharides on digestive comfort of subjects with minor functional bowel disorders. 311

Andersen S, Pedersen KM, Iversen F, Terpling S, Gustenhoff P, Petersen SB & Laurberg P Naturally occurring iodine in humic substances in drinking water in Denmark is bioavailable and determines population iodine intake. 319

Trenell MI, Stevenson E, Stockmann K & Brand-Miller J Effect of high and low glycaemic index recovery diets on intramuscular lipid oxidation during aerobic exercise. 326

Vergne S, Bennetau-Pelissero C, Lamothe V, Chantre P, Potier M, Asselineau J, Perez P, Durand M, Moore N & Sauvant P Higher bioavailability of isoflavones after a single ingestion of a soya-based supplement than a soya-based food in young healthy males. 333

Alexy U, Sichert-Hellert W, Rode T & Kersting M Convenience food in the diet of children and adolescents: consumption and composition. 345

Ruel G, Pomerleau S, Couture P, Lemieux S, Lamarche B & Couillard C Low-calorie cranberry juice supplementation reduces plasma oxidized LDL and cell adhesion molecule concentrations in men. 352

Geppert J, Demmelmair H, Hornstra G & Koletzko B Co-supplementation of healthy women with fish oil and evening primrose oil increases plasma docosahexaenoic acid, γ-linolenic acid and dihomo-γ-linolenic acid levels without reducing arachidonic acid concentrations. 360

Nissinen MJ, Gylling H & Miettinen TA Responses of surrogate markers of cholesterol absorption and synthesis to changes in cholesterol metabolism during various amounts of fat and cholesterol feeding among healthy men. 370

Sharp L, Little J, Brockton NT, Cotton SC, Masson LF, Haites NE & Cassidy J Polymorphisms in the methylenetetrahydrofolate reductase (*MTHFR*) gene, intakes of folate and related B vitamins and colorectal cancer: a case–control study in a population with relatively low folate intake. 379

Romaguera D, Samman N, Rossi A, Miranda C, Pons A & Tur JA Dietary patterns of the Andean population of Puna and Quebrada of Humahuaca, Jujuy, Argentina. 390

Radhika G, Sudha V, Mohan Sathya R, Ganesan A & Mohan V Association of fruit and vegetable intake with cardiovascular risk factors in urban south Indians. 398

Northstone K, Emmett PM & Rogers I Dietary patterns in pregnancy and associations with nutrient intakes. 406

Lin X-M, Tian W, Ma L, Long Z, Zhang J, Shen X-Y & Zhang X-P The responses of serum transferrin receptors to iron supplements in subjects with iron-deficiency erythropoiesis and iron-deficiency anaemia. 416

Rogers PJ, Appleton KM, Kessler D, Peters TJ, Gunnell D, Hayward RC, Heatherley SV, Christian LM, McNaughton SA & Ness AR No effect of *n*-3 long-chain polyunsaturated fatty acid (EPA and DHA) supplementation on depressed mood and cognitive function: a randomised controlled trial. 421

Minderico CS, Silva AM, Keller K, Branco TL, Martins SS, Palmeira AL, Barata JT, Carnero EA, Rocha PM, Teixeira PJ & Sardinha LB Usefulness of different techniques for measuring body composition changes during weight loss in overweight and obese women. 432

Schröder H, Elosua R, Vila J, Martí H, Covas M-I & Marrugat J Prevalence in the eligibility for weight loss treatment in a Mediterranean population. 442

Erratum 447

Chow WL & Lee YK Free fucose is a danger signal to human intestinal epithelial cells. 449

Xu Y, Tang Y & Li Y Effect of folic acid on prenatal alcohol-induced modification of brain proteome in mice. 455

Kuntz S, Rudloff S & Kunz C Oligosaccharides from human milk influence growth-related characteristics of intestinally transformed and non-transformed intestinal cells. 462

Tako E, Glahn RP, Welch RM, Lei X, Yasuda K & Miller DD Dietary inulin affects the expression of intestinal enterocyte iron transporters, receptors and storage protein and alters the microbiota in the pig intestine. 472

Mochizuki K, Kawai H, Mochizuki H, Shimada M, Takase S & Goda T Fatty acids in component of milk enhance the expression of the cAMP-response-element-binding-protein-binding protein (CBP)/p300 gene in developing rats. 481

Joosen AMCP, Bakker AHF, Kersten S & Westerterp KR The PPARγ ligand rosiglitazone influences triacylglycerol metabolism in non-obese males, without increasing the transcriptional activity of PPARγ in the subcutaneous adipose tissue. 487

Zhang Y, Leung P-C, Che C-T, Chow H-K, Wu C-F & Wong M-S Improvement of bone properties and enhancement of mineralization by ethanol extract of *Fructus Ligustri Lucidi*. 494
Ebara S, Nakao M, Tomoda M, Yamaji R, Watanabe F, Inui H & Nakano Y Vitamin B_{12} deficiency results in the abnormal regulation of serine dehydratase and tyrosine aminotransferase activities correlated with impairment of the adenylyl cyclase system in rat liver. 503
Nuttall FQ, Schweim K, Hoover H & Gannon MC Effect of the $LoBAG_{30}$ diet on blood glucose control in people with type 2 diabetes. 511
Wellock IJ, Fortomaris PD, Houdijk JGM, Wiseman J & Kyriazakis I The consequences of non-starch polysaccharide solubility and inclusion level on the health and performance of weaned pigs challenged with enterotoxigenic *Escherichia coli*. 520
Montoya CA, Leterme P, Beebe S, Souffrant WB, Mollé D & Lallès J-P Phaseolin type and heat treatment influence the biochemistry of protein digestion in the rat intestine. 531
Burdge GC, Lillycrop KA, Jackson AA, Gluckman PD & Hanson MA The nature of the growth pattern and of the metabolic response to fasting in the rat are dependent upon the dietary protein and folic acid intakes of their pregnant dams and post-weaning fat consumption. 540
McKay JA, Williams EA & Mathers JC Gender-specific modulation of tumorigenesis by folic acid supply in the *Apc*$^{/Min}$ mouse during early neonatal life. 550
Hanlon N, Coldham N, Gielbert A, Kuhnert N, Sauer MJ, King LJ & Ioannides C Absolute bioavailability and dose-dependent pharmacokinetic behaviour of dietary doses of the chemopreventive isothiocyanate sulforaphane in rat. 559
Li Y, Yang X, Zhai F, Kok FJ, Zhao W, Piao J, Zhang J, Cui Z & Ma G Prevalence of the metabolic syndrome in Chinese adolescents. 565
Koopman R, Verdijk LB, Beelen M, Gorselink M, Kruseman AN, Wagenmakers AJM, Kuipers H & van Loon LJC Co-ingestion of leucine with protein does not further augment post-exercise muscle protein synthesis rates in elderly men. 571
Kongsbak K, Thilsted SH & Wahed MA Effect of consumption of the nutrient-dense, freshwater small fish *Amblypharyngodon mola* on biochemical indicators of vitamin A status in Bangladeshi children: a randomised, controlled study of efficacy. 581
Kummeling I, Thijs C, Huber M, van de Vijver LPL, Snijders BEP, Penders J, Stelma F, van Ree R, van den Brandt PA & Dagnelie PC Consumption of organic foods and risk of atopic disease during the first 2 years of life in the Netherlands. 598
Schnäbele K, Briviba K, Bub A, Roser S, Pool-Zobel BL & Rechkemmer G Effects of carrot and tomato juice consumption on faecal markers relevant to colon carcinogenesis in humans. 606
Thomson BM, Vannoort RW & Haslemore RM Dietary exposure and trends of exposure to nutrient elements iodine, iron, selenium and sodium from the 2003–4 New Zealand Total Diet Survey. 614
Messerer M, Håkansson N, Wolk A & Åkesson A Dietary supplement use and mortality in a cohort of Swedish men. 626
Helmer C, Bricout H, Gin H & Barberger-Gateau P Macronutrient intake and discrepancy with nutritional recommendations in a group of elderly diabetic subjects. 632
Murakami K, Sasaki S, Takahashi Y, Okubo H, Hirota N, Notsu A, Fukui M & Date C Reproducibility and relative validity of dietary glycaemic index and load assessed with a self-administered diet-history questionnaire in Japanese adults. 639
Bradbury J, Mulvaney CE, Adamson AJ, Seal CJ, Mathers JC & Moynihan PJ Sources of total, non-milk extrinsic, and intrinsic and milk sugars in the diets of older adults living in sheltered accommodation. 649
Allen NE, Grace PB, Ginn A, Travis RC, Roddam AW, Appleby PN & Key T Phytanic acid: measurement of plasma concentrations by gas–liquid chromatography–mass spectrometry analysis and associations with diet and other plasma fatty acids. 653
Sullivan BL, Brown J, Williams PG & Meyer BJ Dietary validation of a new Australian food-frequency questionnaire that estimates long-chain *n*-3 polyunsaturated fatty acids. 660
Dimitropoulou P, Nayee S, Liu JF, Demetriou L, van Tongeren M, Hepworth SJ & Muir KR Dietary zinc intake and brain cancer in adults: a case–control study. 667
Ellingsen I, Hjerkinn EM, Seljeflot I, Arnesen H & Tonstad S Consumption of fruit and berries is inversely associated with carotid atherosclerosis in elderly men. 674
Olukosi OA, Cowieson AJ & Adeola O Energy utilization and growth performance of broilers receiving diets supplemented with enzymes containing carbohydrase or phytase activity individually or in combination. 682

Wood PJ & Tosh SM Concerning the effects of oat and barley β-glucan and molecular weight on blood lipids (Nutrition Discussion Forum). 691
Lake A *Book Review*. 692
Keenan J, Hess R & Kolberg L Response to Wood and Tosh (Nutrition Discussion Forum). 694
Wells A *Book Review*. 695
Ellingsen I, Hjerkinn EM, Seljeflot I, Arnesen H & Tonstad S Consumption of fruit and berries is inversely associated with carotid atherosclerosis in elderly men (Corrigendum). 696
Engeset D, Andersen V, Hjartåker A & Lund E Consumption of fish and risk of colon cancer in the Norwegian Women and Cancer (NOWAC) study (Corrigendum). 697
Pérez-Martínez P, Adarraga-Cansino MD, de la Puebla RAF, Blanco-Molina A, Delgado-Lista J, Marín C, Ordovás JM, López-Miranda J & Pérez-Jiménez F The -675 4G/5G polymorphism at the Plasminogen Activator Inhibitor 1 (*PAI-1*) gene modulates plasma Plasminogen Activator Inhibitor 1 concentrations in response to dietary fat consumption. 699
Pellis L, Dommels Y, Venema D, Polanen Av, Lips E, Baykus H, Kok F, Kampman E & Keijer J High folic acid increases cell turnover and lowers differentiation and iron content in human HT29 colon cancer cells. 703
Chang W-C, Yu Y-M, Chiang S-Y & Tseng C-Y Ellagic acid suppresses oxidised low-density lipoprotein-induced aortic smooth muscle cell proliferation: studies on the activation of extracellular signal-regulated kinase 1/2 and proliferating cell nuclear antigen expression. 709
Papoutsi Z, Kassi E, Chinou I, Halabalaki M, Skaltsounis LA & Moutsatsou P Walnut extract (*Juglans regia* L.) and its component ellagic acid exhibit anti-inflammatory activity in human aorta endothelial cells and osteoblastic activity in the cell line KS483. 715
Harvey KA, Arnold T, Rasool T, Antalis C, Miller SJ & Siddiqui RA *Trans*-fatty acids induce pro-inflammatory responses and endothelial cell dysfunction. 723
Vieites JM, de la Torre R, del Carmen Ramírez M, Torres MI, Sánchez-Pozo A, Gil A & Suárez A Exogenous nucleosides accelerate differentiation of rat intestinal epithelial cells. 732
Pichon L, Potier M, Tome D, Mikogami T, Laplaize B, Martin-Rouas C & Fromentin G High-protein diets containing different milk protein fractions differently influence energy intake and adiposity in the rat. 739
Ng CH, Yao XQ, Huang Y & Chen Z-Y Oxidised cholesterol is more hypercholesterolaemic and atherogenic than non-oxidised cholesterol in hamsters. 749
Watanabe-Kamiyama M, Kamiyama S, Horiuchi K, Ohinata K, Shirakawa H, Furukawa Y & Komai M Antihypertensive effect of biotin in stroke-prone spontaneously hypertensive rats. 756
Mardon J, Zangarelli A, Walrand S, Davicco MJ, Lebecque P, Demigné C, Horcajada MN, Boirie Y & Coxam V Impact of energy and casein or whey protein intake on bone status in a rat model of age-related bone loss. 764
Rungapamestry V, Rabot S, Fuller Z, Ratcliffe B & Duncan AJ Influence of cooking duration of cabbage and presence of colonic microbiota on the excretion of *N*-acetylcysteine conjugates of allyl isothiocyanate and bioactivity of phase 2 enzymes in F344 rats. 773
Tzounis X, Vulevic J, Kuhnle GGC, George T, Leonczak J, Gibson GR, Kwik-Uribe C & Spencer JPE Flavanol monomer-induced changes to the human faecal microflora. 782
Lawler DF, Larson BT, Ballam JM, Smith GK, Biery DN, Evans RH, Greeley EH, Segre M, Stowe HD & Kealy RD Diet restriction and ageing in the dog: major observations over two decades. 793
Sridhar MG, Vinayagamoorthi R, Arul Suyambunathan V, Bobby Z & Selvaraj N Bitter gourd (*Momordica charantia*) improves insulin sensitivity by increasing skeletal muscle insulin-stimulated IRS-1 tyrosine phosphorylation in high-fat-fed rats. 806
Andersen S, Karmisholt J, Pedersen KM & Laurberg P Reliability of studies of iodine intake and recommendations for number of samples in groups and in individuals. 813
Puertollano E, Puertollano MA, Cruz-Chamorro L, Álvarez de Cienfuegos G, Ruiz-Bravo A & de Pablo MA Orally administered *Lactobacillus plantarum* reduces pro-inflammatory interleukin secretion in sera from *Listeria monocytogenes* infected mice. 819
Tiihonen K, Suomalainen T, Tynkkynen S & Rautonen N Effect of prebiotic supplementation on a probiotic bacteria mixture: comparison between a rat model and clinical trials. 826
Kemi VE, Kärkkäinen MUM, Karp HJ, Laitinen KAE & Lamberg-Allardt CJE Increased calcium intake does not completely counteract the effects of increased phosphorus intake on bone: an acute dose–response study in healthy females. 832

Henry CJK, Lightowler HJ, Newens K, Sudha V, Radhika G, Sathya RM & Mohan V Glycaemic index of common foods tested in the UK and India. 840

Mateu-de Antonio J, Grau S, Luque S, Marín-Casino M, Albert I & Ribes E Comparative effects of olive oil-based and soyabean oil-based emulsions on infection rate and leucocyte count in critically ill patients receiving parenteral nutrition. 846

Moinard C, Nicolis I, Neveux N, Darquy S, Bénazeth S & Cynober L Dose-ranging effects of citrulline administration on plasma amino acids and hormonal patterns in healthy subjects: the Citrudose pharmacokinetic study. 855

Jochmann N, Lorenz M, von Krosigk A, Martus P, Böhm V, Baumann G, Stangl K & Stangl V The efficacy of black tea in ameliorating endothelial function is equivalent to that of green tea. 863

Crozier SR, Inskip HM, Godfrey KM & Robinson SM Dietary patterns in pregnant women: a comparison of food-frequency questionnaires and 4 d prospective diaries. 869

Puri S, Marwaha RK, Agarwal N, Tandon N, Agarwal R, Grewal K, Reddy DHK & Singh S Vitamin D status of apparently healthy schoolgirls from two different socioeconomic strata in Delhi: relation to nutrition and lifestyle. 876

Ravn-Haren G, Bügel S, Krath BN, Hoac T, Stagsted J, Jørgensen K, Bresson JR, Larsen EH & Dragsted LO A short-term intervention trial with selenate, selenium-enriched yeast and selenium-enriched milk: effects on oxidative defence regulation. 883

te Velde SJ, Brug J, Wind M, Hildonen C, Bjelland M, Pérez-Rodrigo C & Klepp K-I Effects of a comprehensive fruit- and vegetable-promoting school-based intervention in three European countries: the Pro Children Study. 893

Luscombe-Marsh ND, Smeets AJPG & Westerterp-Plantenga MS Taste sensitivity for monosodium glutamate and an increased liking of dietary protein. 904

Gil-Campos M, Larqué E, Ramírez-Tortosa MC, Linde J, Villada I, Cañete R & Gil A Changes in plasma fatty acid composition after intake of a standardised breakfast in prepubertal obese children. 909

Farajian P, Renti E & Manios Y Obesity indices in relation to cardiovascular disease risk factors among young adult female students. 918

Lowe MR, Kral TVE & Miller-Kovach K Weight-loss maintenance 1, 2 and 5 years after successful completion of a weight-loss programme. 925

Power ML & Schulkin J Sex differences in fat storage, fat metabolism, and the health risks from obesity: possible evolutionary origins (Review Article). 931

Meyer HE, Holvik K, Lofthus CM & Tennakoon SUB Vitamin D status in Sri Lankans living in Sri Lanka and Norway (Short Communication). 941

Dell'Agli M, Maschi O, Galli GV, Fagnani R, Dal Cero E, Caruso D & Bosisio E Inhibition of platelet aggregation by olive oil phenols via cAMP-phosphodiesterase. 945

Bettzieche A, Brandsch C, Weiße K, Hirche F, Eder K & Stangl GI Lupin protein influences the expression of hepatic genes involved in fatty acid synthesis and triacylglycerol hydrolysis of adult rats. 952

Misikangas M, Tanayama H, Rajakangas J, Lindén J, Pajari A-M & Mutanen M Inulin results in increased levels of β-catenin and cyclin D1 as the adenomas increase in size from small to large in the Min/ mouse. 963

Shingfield KJ, Ahvenjärvi S, Toivonen V, Vanhatalo A, Huhtanen P & Griinari JM Effect of incremental levels of sunflower-seed oil in the diet on ruminal lipid metabolism in lactating cows. 971

Rideout TC, Liu Q, Wood P & Fan MZ Nutrient utilisation and intestinal fermentation are differentially affected by the consumption of resistant starch varieties and conventional fibres in pigs. 984

Pexa A, Boeger RH, Henle T, Schwedhelm E & Deussen A Effects of moderate hyperhomocysteinaemia induced by 4 weeks methionine-enriched diet on metabolite profile and mesenteric artery function in rats. 993

Pierre F, Santarelli R, Taché S, Guéraud F & Corpet DE Beef meat promotion of dimethylhydrazine-induced colorectal carcinogenesis biomarkers is suppressed by dietary calcium. 1000

Yuen YM & Leung LK Genistein and daidzein induced apoA-I transactivation in hepG2 cells expressing oestrogen receptor-α. 1007

Sato M, Uzu K, Yoshida T, Hamad EM, Kawakami H, Matsuyama H, El-Gawad IAA & Imaizumi K Effects of milk fermented by *Lactobacillus gasseri* SBT2055 on adipocyte size in rats. 1013

Guarnieri S, Loft S, Riso P, Porrini M, Risom L, Poulsen HE, Dragsted LO & Møller P DNA repair phenotype and dietary antioxidant supplementation. 1018
Barratt R, Frost G, Millward DJ & Truby H A randomised controlled trial investigating the effect of an intensive lifestyle intervention v. standard care in adults with type 2 diabetes immediately after initiating insulin therapy. 1025
Bird AR, Vuaran MS, King RA, Noakes M, Keogh J, Morell MK & Topping DL Wholegrain foods made from a novel high-amylose barley variety (*Himalaya 292*) improve indices of bowel health in human subjects. 1032
Delarue J, Guillodo M-P, Guillerm S, Elbaz A, Marty Y & Clèdes J Fish oil attenuates adrenergic overactivity without altering glucose metabolism during an oral glucose load in haemodialysis patients. 1041
Rüfer CE, Moeseneder J, Briviba K, Rechkemmer G & Bub A Bioavailability of astaxanthin stereoisomers from wild (*Oncorhynchus* spp.) and aquacultured (*Salmo salar*) salmon in healthy men: a randomised, double-blind study. 1048
Bloomer RJ, Solis AD, Fisher-Wellman KH & Smith WA Postprandial oxidative stress is exacerbated in cigarette smokers. 1055
Hill TR, Cotter AA, Mitchell S, Boreham CA, Dubitzky W, Murray L, Strain JJ, Flynn A, Robson PJ, Wallace JMW, Kiely M & Cashman KD Vitamin D status and its determinants in adolescents from the Northern Ireland Young Hearts 2000 cohort. 1061
Khossousi A, Binns CW, Dhaliwal SS & Pal S The acute effects of psyllium on postprandial lipaemia and thermogenesis in overweight and obese men. 1068
Miyashita M & Tokuyama K Moderate exercise reduces serum triacylglycerol concentrations but does not affect pre-heparin lipoprotein lipase concentrations after a moderate-fat meal in young men. 1076
Milte CM, Coates AM, Buckley JD, Hill AM & Howe PRC Dose-dependent effects of docosahexaenoic acid-rich fish oil on erythrocyte docosahexaenoic acid and blood lipid levels. 1083
Lau C, Glümer C, Toft U, Tetens I, Carstensen B, Jørgensen T & Borch-Johnsen K Identification and reproducibility of dietary patterns in a Danish cohort: the Inter99 study. 1089
Northstone K & Emmett PM A comparison of methods to assess changes in dietary patterns from pregnancy to 4 years post-partum obtained using principal components analysis. 1099
Schulze MB, Schulz M, Heidemann C, Schienkiewitz A, Hoffmann K & Boeing H Carbohydrate intake and incidence of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Potsdam Study. 1107
Joyce T, McCarthy SN & Gibney MJ Relationship between energy from added sugars and frequency of added sugars intake in Irish children, teenagers and adults. 1117
Kohlhuber M, Rebhan B, Schwegler U, Koletzko B & Fromme H Breastfeeding rates and duration in Germany: a Bavarian cohort study. 1127
Parsons AG, Zhou SJ, Spurrier NJ & Makrides M Effect of iron supplementation during pregnancy on the behaviour of children at early school age: long-term follow-up of a randomised controlled trial. 1133
Ruijschop RMAJ, Boelrijk AEM, de Ru JA, de Graaf C & Westerterp-Plantenga MS Effects of retro-nasal aroma release on satiation. 1140
Remmers F, Schreuder MF, Gemke RJBJ & Delemarre-van de Waal HA Energy intake and resting energy expenditure in adult male rats after early postnatal food restriction. 1149
Major GC, Doucet E, Jacqmain M, St-Onge M, Bouchard C & Tremblay A Multivitamin and dietary supplements, body weight and appetite: results from a cross-sectional and a randomised double-blind placebo-controlled study. 1157
McCartney D *Book Review*. 1168
Pereira MA & Jacobs DR Sugar-sweetened beverages, weight gain and nutritional epidemiological study design (Invited Commentary). 1169
Schoenmakers, I, Goldberg GR & Prentice A Abundant sunshine and vitamin D deficiency (Invited Commentary). 1171
Fujiwara R, Watanabe J & Sonoyama K Assessing changes in composition of intestinal microbiota in neonatal BALB/c mice through cluster analysis of molecular markers (Short Communication). 1174
García-Fuentes E, Gallo M, García L, Prieto S, Alcaide-Torres J, Santiago P, Velasco I & Soriguer F Amniotic fluid iodine concentrations do not vary in pregnant women with varying iodine intake (Short Communication). 1178

Lee M-S, Park J-Y, Freake H, Kwun I-S & Kim Y Green tea catechin enhances cholesterol 7α-hydroxylase gene expression in HepG2 cells (Short Communication). 1182

Petersson H, Basu S, Cederholm T & Risérus U Serum fatty acid composition and indices of stearoyl-CoA desaturase activity are associated with systemic inflammation: longitudinal analyses in middle-aged men (Short Communication). 1186

Ravn-Haren G, Krath BN, Overvad K, Cold S, Moesgaard S, Larsen EH & Dragsted LO Effect of long-term selenium yeast intervention on activity and gene expression of antioxidant and xenobiotic metabolising enzymes in healthy elderly volunteers from the Danish Prevention of Cancer by Intervention by Selenium (PRECISE) Pilot Study. 1190

Vivancos M & Moreno JJ Effect of resveratrol, tyrosol and β-sitosterol on oxidised low-density lipoprotein-stimulated oxidative stress, arachidonic acid release and prostaglandin E_2 synthesis by RAW 264.7 macrophages. 1199

Serisier S, Leray V, Poudroux W, Magot T, Ouguerram K & Nguyen P Effects of green tea on insulin sensitivity, lipid profile and expression of PPARα and PPARγ and their target genes in obese dogs. 1208

Kim JC, Mullan BP, Hampson DJ & Pluske JR Addition of oat hulls to an extruded rice-based diet for weaner pigs ameliorates the incidence of diarrhoea and reduces indices of protein fermentation in the gastrointestinal tract. 1217

Knovich MA, Il'yasova D, Ivanova A & Molnár I The association between serum copper and anaemia in the adult Second National Health and Nutrition Examination Survey (NHANES II) population. 1226

Bartelt S, Timm M, Damsgaard CT, Hansen EW, Hansen HS & Lauritzen L The effect of dietary fish oil-supplementation to healthy young men on oxidative burst measured by whole blood chemiluminescence. 1230

Rühl R, Koch C, Marosvölgyi T, Mihály J, Schweigert FJ, Worm M & Decsi T Fatty acid composition of serum lipid classes in mice following allergic sensitisation with or without dietary docosahexaenoic acid-enriched fish oil substitution. 1239

Sun W, Wang Q, Chen B, Liu J, Liu H & Xu W γ-Tocotrienol-induced apoptosis in human gastric cancer SGC-7901 cells is associated with a suppression in mitogen-activated protein kinase signalling. 1247

Löhrke B, Derno M, Hammon H, Metges C, Melcher J, Viergutz T, Jentsch W & Zühlke H Nutritional level and energetic source are determinants of elevated circulatory lipohydroperoxide concentration. 1255

Moore HJ, Ells LJ, McLure SA, Crooks S, Cumbor D, Summerbell CD & Batterham AM The development and evaluation of a novel computer program to assess previous-day dietary and physical activity behaviours in school children: The Synchronised Nutrition and Activity Program™ (SNAP™). 1266

de Sousa EF, Da Costa THM, Nogueira JAD & Vivaldi LJ Assessment of nutrient and water intake among adolescents from sports federations in the Federal District, Brazil. 1275

Braschi A & Naismith DJ The effect of a dietary supplement of potassium chloride or potassium citrate on blood pressure in predominantly normotensive volunteers. 1284

Garcia AL, Koebnick C, Dagnelie PC, Strassner C, Elmadfa I, Katz N, Leitzmann C & Hoffmann I Long-term strict raw food diet is associated with favourable plasma β-carotene and low plasma lycopene concentrations in Germans. 1293

Zhang W, Wang X, Liu Y, Tian H, Flickinger B, Empie MW & Sun SZ Dietary flaxseed lignan extract lowers plasma cholesterol and glucose concentrations in hypercholesterolaemic subjects. 1301

Shatrugna V, Kulkarni B, Kumar PA, Balakrishna N, Rani KU, Reddy GC & Rao GVN Relationship between women's occupational work and bone health: a study from India. 1310

Smeets AJ & Westerterp-Plantenga MS Acute effects on metabolism and appetite profile of one meal difference in the lower range of meal frequency. 1316

Islam MZ, Shamim AA, Kemi V, Nevanlinna A, Akhtaruzzaman M, Laaksonen M, Jehan AH, Jahan K, Khan HU & Lamberg-Allardt C Vitamin D deficiency and low bone status in adult female garment factory workers in Bangladesh. 1322

Woo J, Lam CWK, Leung J, Lau WY, Lau E, Ling X, Xing X, He Zhao X, Skeaff CM, Bacon CJ, Rockell JEP, Lambert A, Whiting SJ & Green TJ Very high rates of vitamin D insufficiency in women of child-bearing age living in Beijing and Hong Kong. 1330

Welch AA, Mulligan A, Bingham SA & Khaw K-t Urine pH is an indicator of dietary acid–base load, fruit and vegetables and meat intakes: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Norfolk population study. 1335
Wrieden WL, Longbottom PJ, Adamson AJ, Ogston SA, Payne A, Haleem MA & Barton KL Estimation of typical food portion sizes for children of different ages in Great Britain. 1344
Happonen P, Läärä E, Hiltunen L & Luukinen H Coffee consumption and mortality in a 14-year follow-up of an elderly northern Finnish population. 1354
Moorhead SA, Livingstone MBE, Dunne A & Welch RW The level of carbonation of a sugar-sweetened beverage preload affects satiety and short-term energy and food intakes. 1362
Libuda L, Alexy U, Sichert-Hellert W, Stehle P, Karaolis-Danckert N, Buyken AE & Kersting M Pattern of beverage consumption and long-term association with body-weight status in German adolescents – results from the DONALD study. 1370
Salas-Salvadó J, Farrés X, Luque X, Narejos S, Borrell M, Basora J, Anguera A, Torres F, Bulló M & Balanza R, for the Fiber in Obesity-Study Group. Effect of two doses of a mixture of soluble fibres on body weight and metabolic variables in overweight or obese patients: a randomised trial. 1380
Ahmed T, Hamer DH & Meydani SN Effects of repeated administration of intradermal skin test by Mantoux method on delayed-type hypersensitivity responses in healthy young and elderly subjects (Letter to the Editor). 1388
Das UN Perinatal nutrition and obesity (Letter to the Editor). 1391
Minihane AM *Book Review.* 1393
Jonkers CF *Book Review.* 1394
Chong MF-F *Book Review.* 1395

Volume 99
Index of Authors

Adamson AJ, see Bradbury J, 649
Adamson AJ, see Foster E, 175
Adamson AJ, see Foster E, 185
Adamson AJ, see Wrieden WL, 1344
Adarraga-Cansino MD, see Pérez-Martínez P, 699
A. de Ru J, see Ruijschop RMA, 1140
Adeola O, see Olukosi OA, 682
Agarwal N, see Puri S, 876
Agarwal R, see Puri S, 876
Ahmed T, Hamer DH & Meydani SN *Effects of repeated administration of intradermal skin test by Mantoux method on delayed-type hypersensitivity responses in healthy young and elderly subjects*, doi: 10.1017/S000711450786853X, 1388
Ahvenjärvi S, see Shingfield KJ, 971
Åkesson A, see Messerer M, 626
Akhtaruzzaman M, see Islam MZ, 1322
Albert I, see Mateu-de Antonio J, 846
Alcaide-Torres J, see García-Fuentes E, 1178
Alexy U, see Libuda L, 1370
Alexy U, Sichert-Hellert W, Rode T & Kersting M *Convenience food in the diet of children and adolescents: consumption and composition*, doi: 10.1017/S000711450779534X, 345
Allen NE, Grace PB, Ginn A, Travis RC, Roddam AW, Appleby PN & Key T *Phytanic acid: measurement of plasma concentrations by gas–liquid chromatography–mass spectrometry analysis and associations with diet and other plasma fatty acids*, doi: 10.1017/S000711450782407X, 653
Almaraz MC, see Tinahones FJ, 44
Andersen S, Karmisholt J, Pedersen KM & Laurberg P *Reliability of studies of iodine intake and recommendations for number of samples in groups and in individuals*, doi: 10.1017/S0007114507842292, 813
Andersen S, Pedersen KM, Iversen F, Terpling S, Gustenhoff P, Petersen SB & Laurberg P *Naturally occurring iodine in humic substances in drinking water in Denmark is bioavailable and determines population iodine intake*, doi: 10.1017/S0007114507803941, 319
Anguera A, see Salas-Salvadó J, 1380
Antalis C, see Harvey KA, 723
Appleby PN, see Allen NE, 653
Appleton KM, see Rogers PJ, 421
Arnaud MJ *Higher calcium urinary loss induced by a calcium sulphate-rich mineral water intake than by milk in young women – Comments by Arnaud*, doi: 10.1017/S0007114507793583, 206
Arnaud MJ *Higher calcium urinary loss induced by a calcium sulphate-rich mineral water intake than by milk in young women Comments by Arnaud*, doi: 10.1017/S0007114507791912, 206
Arnesen H, see Ellingsen I, 674
Arnesen H, see Ellingsen I, 697
Arnold T, see Harvey KA, 723
Ashwell M, Stone E, Mathers J, Barnes S, Compston J, Francis RM, Key T, Cashman KD, Cooper C, Khaw KT, Lanham-New S, Macdonald H, Prentice A, Shearer M & Stephen A *Nutrition and bone health projects funded by the UK Food Standards Agency: have they helped to inform public health policy?* doi: 10.1017/S0007114507771891, 198
Asselineau J, see Vergne S, 333
Avella M, see Perona JS, 29
Bacon CJ, see Woo J, 1330
Baek JP, see Chung MJ, 67
Bakker AHF, see Joosen AMCP, 487
Balakrishna N, see Shatrugna V, 1310
Balanza R, see Salas-Salvadó J, 1380
Ballèvre O, see Pouteau E, 287
Ballam JM, see Lawler DF, 793
Bang K-H, see Chung MJ, 67
Barata J, see Minderico C, 432
Barberger-Gateau P, see Helmer C, 632
Barnes S, see Ashwell M, 198
Barratt R, Frost G, Millward DJ & Truby H *A randomised controlled trial investigating the effect of an intensive lifestyle intervention v. standard care in adults with type 2 diabetes immediately after initiating insulin therapy*, doi: 10.1017/S0007114507839018, 1025
Bartelt S, Timm M, Damsgaard CT, Hansen EW, Hansen HS & Lauritzen L *The effect of dietary fish oil-supplementation to healthy young men on oxidative burst measured by whole blood chemiluminescence*, doi: 10.1017/S0007114507853451, 1230
Barton KL, see Foster E, 175
Barton KL, see Foster E, 185
Barton KL, see Wrieden WL, 1344
Basora J, see Salas-Salvadó J, 1380
Bastida S, see Bocanegra A, 272
Basu S, see Petersson H, 1186
Batterham AM, see Moore HJ, 1266
Baumann G, see Jochmann N, 863
Baykus H, see Pellis L, 703
Beebe S, see Montoya CA, 531
Beelen M, see Koopman R, 571
Bénazeth S, see Moinard C, 855
Benedí J, see Bocanegra A, 272
Bennetau-Pelissero C, see Vergne S, 333
Berruezo GR, see Jacob K, 137
Bertiére M-C, see Brandolini M, 210
Bettzieche A, Brandsch C, Weiße K, Hirche F, Eder K & Stangl GI *Lupin protein influences the expression of hepatic genes involved in fatty acid synthesis and triacylglycerol hydrolysis of adult rats*, doi: 10.1017/S0007114507857266, 952
Biagi PL, see Bordoni A, 191
Biery DN, see Lawler DF, 793
Bingham SA, see Welch AA, 1335
Binns CW, see Khossousi A, 1068
Bird AR, Vuaran MS, King RA, Noakes M, Keogh J, Morell MK & Topping DL *Wholegrain foods made from a novel high-amylose barley variety (Himalaya 292) improve indices of bowel health in human subjects*, doi: 10.1017/S000711450783902X, 1032
Bjelland M, see te Velde SJ, 893
Blanco-Molina A, see Pérez-Martínez P, 699
Bloomer RJ, Solis AD, Fisher-Wellman KH & Smith WA *Postprandial oxidative stress is exacerbated in cigarette smokers*, doi: 10.1017/S0007114507844370, 1055
Bobby Z, see Sridhar MG, 806
Bocanegra A, Nieto A, Bastida S, Benedí J, Sánchez-Muniz FJ *A Nori but not a Konbu, dietary supplement decreases the cholesterolaemia, liver fat infiltration and mineral bioavailability in hypercholesterolaemic growing Wistar rats*, doi: 10.1017/S0007114507801085, 272
Boeger RH, see Pexa A, 993
Boeing H, see Schulze MB, 1107

Boelrijk AEM, see Ruijschop RMA, 1140
Boirie Y, see Brandolini M, 210
Böhm V, see Jacob K, 137
Böhm V, see Jochmann N, 863
Boirie Y, see Mardon J, 764
Borch-Johnsen K, see Lau C, 1089
Bordoni A, Danesi F, Malaguti M, Nunzio MD, Pasqui F, Maranesi M & Biagi PL *Dietary Selenium for the counteraction of oxidative damage: fortified foods or supplements?*, doi: 10.1017/S0007114507793911, 191
Boreham CA, see Hill TR, 1061
Bornet FRJ, see Paineau D, 311
Borrell M, see Salas-Salvadó J, 1380
Bosisio E, see Dell'Agli M, 945
Botham KM, see Perona JS, 29
Bouchard C, see Major G, 1157
Brabet M, see Paineau D, 311
Bradbury J, Mulvaney CE, Adamson AJ, Seal CJ, Mathers JC & Moynihan PJ *Sources of total, non-milk extrinsic, and intrinsic and milk sugars in the diets of older adults living in sheltered accommodation*, doi: 10.1017/S0007114507803989, 649
Branco TL, see Minderico C, 432
Brand-Miller J, see Trenell MI, 326
Brandolini M, Rousset P, Boirie Y, Guéguen L & Bertiére M-C *Reply by Brandolini et al.*, doi: 10.1017/S0007114507888775, 210
Brandsch C, see Bettzieche A, 952
Braschi A & Naismith DJ *The effect of a dietary supplement of potassium chloride or potassium citrate on blood pressure in predominantly normotensive volunteers*, doi: 10.1017/S0007114507864853, 1284
Bresson JR, see Ravn-Haren G, 883
Bricout H, see Helmer C, 632
Briviba K, see Rüfer CE, 1048
Briviba K, see Schnäbele K, 606
Brockton NT, see Sharp L, 379
Brown J, see Sullivan BL, 660
Brug J, see te Velde SJ, 893
Bub A, see Rüfer CE, 1048
Bub A, see Schnäbele K, 606
Buckley JD, see Milte CM, 1083
Bügel S, see Ravn-Haren G, 883
Bulló M, see Salas-Salvadó J, 1380
Burdge GC, Lillycrop KA, Jackson AA, Gluckman PD & Hanson MA *The nature of the growth pattern and of the metabolic response to fasting in the rat are dependent upon the dietary protein and folic acid intakes of their pregnant dams and post-weaning fat consumption*, doi: 10.1017/S0007114507815819, 540
Burns SF & Stensel DJ *Effects of low- and high-volume resistance exercise on postprandial lipaemia – Comments by Burns and Stensel*, doi: 10.1017/S0007114507761755, 211
Buyken AE, see Libuda L, 1370
Calder PC *Increasing transparency in the British Journal of Nutrition*, doi: 10.1017/S0007114507894451, 217
Cañete R, see Gil-Campos M, 909
Cani PD, see Urías-Silvas JE, 254
Cardona F, see Tinahones FJ, 44
Cardona I, see Tinahones FJ, 44
Carnero EA, see Minderico C, 432
Carstensen B, see Lau C, 1089
Caruso D, see Dell'Agli M, 945
Cashman KD, see Ashwell M, 198
Cashman KD, see Hill TR, 1061
Cassidy J, see Sharp L, 379
Cederholm T, see Petersson H, 1186
Cerletti C, see Rotondo S, 240
Chan FL, see Wang Y, 303
Chang J-H, see Shih C-K, 59
Chang W-C, Yu Y-M, Chiang S-Y & Tseng C-Y *Ellagic acid suppresses oxidised low-density lipoprotein-induced aortic smooth muscle cell proliferation: studies on the activation of extracellular signal-regulated kinase 1/2 and proliferating cell nuclear antigen expression*, doi: 10.1017/S0007114507831734, 709
Chantre P, see Vergne S, 333
Chao P-M, see Huang H-L, 230
Chapalain V, see Paineau D, 311
Che C-T, see Zhang Y, 494
Chen B, see Sun W, 1247
Chen S, see Wang Y, 303
Chen Y-N, see Huang H-L, 230
Chen Z-Y, see Ng CH, 749
Cheng H-H, see Shih C-K, 59
Chiang S-Y, see Chang W-C, 709
Chinou I, see Papoutsi Z, 715
Chlopicki S, see Franczyk-Żarów M, 49
Choi Y-M, see Chung MJ, 67
Chong MF-F *Book Review*, doi: 10.1017/S0007114507871698, 1395
Chou T-W, see Shih C-K, 59
Chow H-K, see Zhang Y, 494
Chow WL & Lee YK *Free fucose is a danger signal to human intestinal epithelial cells*, doi: 10.1017/S0007114507812062, 449
Christian LM, see Rogers PJ, 421
Chung MJ, Park KW, Kim KH, Kim C-T, Baek JP, Bang K-H & Choi Y-M & Lee S-J *Asian plantain (Plantago asiatica) essential oils suppress 3-hydroxy-3-methyl-glutaryl-co-enzyme A reductase expression in vitro and in vivo and show hypocholesterolaemic properties in mice*, doi: 10.1017/S0007114507798926, 67
Chyuan J-H, see Huang H-L, 230
Cichocki T, see Franczyk-Żarów M, 49
Clandinin MT, see Field CJ, 91
Clèdes J, see Delarue J, 1041
Coates AM, see Milte CM, 1083
Cold S, see Ravn-Haren G, 1190
Coldham N, see Hanlon N, 559
Collantes E, see Tinahones FJ, 44
Compston J, see Ashwell M, 198
Cooper C, see Ashwell M, 198
Cooper KA, Donovan JL, Waterhouse AL & Williamson G *Cocoa and health: a decade of research*, doi: 10.1017/S0007114507795296, 1
Cornelissen P, see Foster E, 175
Corpet DE, see Pierre F, 1000
Costabile A, Klinder A, Fava F, Napolitano A, Fogliano V, Leonard C, Gibson GR & Tuohy KM *Whole-grain wheat breakfast cereal has a prebiotic effect on the human gut microbiota: a double-blind, placebo-controlled, crossover study*, doi: 10.1017/S0007114507793923, 110
Cotter AA, see Hill TR, 1061
Cotton SC, see Sharp L, 379
Coudray C, see Stewart-Knox BJ, 129
Couillard C, see Ruel G, 352
Coulombier G, see Paineau D, 311
Couture P, see Ruel G, 352
Covas M-I, see Schröder H, 442
Cowieson AJ, see Olukosi OA, 682
Coxam V, see Mardon J, 764
Crooks S, see Moore HJ, 1266
Crowe FL, Skeaff CM, Green TJ & Gray AR *Serum n-3 long-chain PUFA differ by sex and age in a population-based survey of New Zealand adolescents and adults*, doi: 10.1017/S000711450779387X, 168
Crozier SR, Inskip HM, Godfrey KM & Robinson SM *Dietary patterns in pregnant women: a comparison of food-frequency questionnaires and 4 d prospective diaries*, doi: 10.1017/S0007114507831746, 869

Cruz-Chamorro L, see Puertollano E, 819
Cui Z, see Li Y, 565
Cumbor D, see Moore HJ, 1266
Cynober L, see Moinard C, 855
Da Costa THM, see de Sousa EF, 1275
Dagnelie PC, see Garcia AL, 1293
Dagnelie PC, see Kummeling I, 598
Dal Cero E, see Dell'Agli M, 945
Dallongeville J, see Dauchet L, 219
Damsgaard CT, see Bartelt S, 1230
Damsgaard CT, Frøkiær H & Lauritzen L *The effects of fish oil and high or low linoleic acid intake on fatty acid composition of human peripheral blood mononuclear cells,* doi: 10.1017/S0007114507791900, 147
Danesi F, see Bordoni A, 191
Darquy S, see Moinard C, 855
Das UN *Perinatal nutrition and obesity,* doi: 10.1017/S0007114507871704, 1391
das Neves J, see Martins VJB, 297
Date C, see Murakami K, 639
Dauchet L & Dallongeville J *Fruit and vegetables and cardiovascular disease: epidemiological evidence from the non-Western world,* doi: 10.1017/S0007114507815820, 219
Davicco MJ, see Mardon J, 764
Decsi T, see Rühl R, 1239
de Cienfuegos GÁ, see Puertollano E, 819
de Graaf C, see Ruijschop RMA, 1140
de la Puebla RAF, see Pérez-Martínez P, 699
de la Torre R, see Vieites JM, 732
de Ru JA, see Ruijschop RMAJ, 1140
Delarue J, Guillodo M-P, Guillerm S, Elbaz A, Marty Y & Clèdes J *Fish oil attenuates adrenergic overactivity without altering glucose metabolism during an oral glucose load in haemodialysis patients,* doi: 10.1017/S0007114507843534, 1041
del Carmen Ramírez M, see Vieites JM, 732
Delemarre-van de Waal HA, see Remmers F, 1149
Delgado-Lista J, see Pérez-Martínez P, 699
Dell'Agli M, Maschi O, Galli GV, Fagnani R, Dal Cero E, Caruso D & Bosisio E *Inhibition of platelet aggregation by olive oil phenols via cAMP-phosphodiesterase,* doi: 10.1017/S0007114507837470, 945
Delmée E, see Urías-Silvas JE, 254
Delzenne NM, see Urías-Silvas JE, 254
Demetriou L, see Dimitropoulou P, 667
Demigné C, see Mardon J, 764
Demmelmair H, see Geppert J, 360
de Pablo MA, see Puertollano E, 819
Derno M, see Löhrke B, 1255
de Sousa EF, Da Costa THM, Nogueira JAD & Vivaldi LJ *Assessment of nutrient and water intake among adolescents from sports federations in the Federal District, Brazil,* doi: 10.1017/S0007114507864841, 1275
Deussen A, see Pexa A, 993
Dhaliwal SS, see Khossousi A, 1068
Dimitropoulou P, Nayee S, Liu JF, Demetriou L, van Tongeren M, Hepworth SJ & Muir KR *Dietary zinc intake and brain cancer in adults: a case–control study,* doi: 10.1017/S0007114507831692, 667
Dommels Y, see Pellis L, 703
Donati MB, see Rotondo S, 240
Donovan JL, see Cooper KA, 1
Doucet E, see Major G, 1157
Döring F, see Rubin D, 76
Dragsted LO, see Guarnieri S, 1018
Dragsted LO, see Ravn-Haren G, 1190
Dragsted LO, see Ravn-Haren G, 883
Dubitzky W, see Hill TR, 1061
Duncan AJ, see Rungapamestry V, 773
Duncan G, see McNeil CJ, 262
Dunne A, see Moorhead SA, 1362
Durand M, see Vergne S, 333
Ebara S, Nakao M, Tomoda M, Yamaji R, Watanabe F, Inui H & Nakano Y *Vitamin B_{12} deficiency results in the abnormal regulation of serine dehydratase and tyrosine aminotransferase activities correlated with impairment of the adenylyl cyclase system in rat liver,* doi: 10.1017/S0007114507812025, 503
Eder K, see Bettzieche A, 952
Elbaz A, see Delarue J, 1041
El-Gawad IAA, see Sato M, 1013
Ellingsen I, Hjerkinn EM, Seljeflot I, Arnesen H & Tonstad S *Consumption of fruit and berries is inversely associated with carotid atherosclerosis in elderly men,* doi: 10.1017/S0007114507832521, 674
Ells LJ, see Moore HJ, 1266
Elmadfa I, see Garcia AL, 1293
Elosua R, see Schröder H, 442
Emmett PM, see Northstone K, 1099
Emmett PM, see Northstone K, 406
Empie MW, see Zhang W, 1301
Evangelista V, see Rotondo S, 240
Evans RH, see Lawler DF, 793
Ezendam J & van Loveren H *Lactobacillus casei Shirota administered during lactation increases the duration of autoimmunity in rats and enhances lung inflammation in mice,* doi: 10.1017/S0007114507803412, 83
Fagnani R, see Dell'Agli M, 945
Fan MZ, see Rideout TC, 984
Farajian P, Renti E & Manios Y *Obesity indices in relation to cardiovascular disease risk factors among young adult female students,* doi: 10.1017/S000711450783741X, 918
Farrés X, see Salas-Salvadó J, 1380
Fava F, see Costabile A, 110
Field CJ, Van Aerde JE, Robinson LE & Clandinin MT *Effect of providing a formula supplemented with long-chain polyunsaturated fatty acids on immunity in full-term neonates,* doi: 10.1017/S0007114507791845, 91
Fisher-Wellman KH, see Bloomer RJ, 1055
Flickinger B, see Zhang W, 1301
Flynn A, see Hill TR, 1061
Fogliano V, see Costabile A, 110
Fölsch UR, see Rubin D, 76
Fortomaris PD, see Wellock IJ, 520
Foster E, Matthews JNS, Lloyd J, Marshall L, Mathers JC, Nelson M, Barton KL, Wrieden WL, Cornelissen P, Harris J & Adamson AJ *Children's estimates of food portion size: the development and evaluation of three portion size assessment tools for use with children,* doi: 10.1017/S000711450779390X, 175
Foster E, O'Keeffe M, Matthews JNS, Mathers JC, Nelson M, Barton KL, Wrieden WL & Adamson AJ *Children's estimates of food portion size: the effect of timing of dietary interview on the accuracy of children's portion size estimates,* doi: 10.1017/S0007114507791882, 185
Frøkiær H, see Damsgaard CT, 147
Francis RM, see Ashwell M, 198
Francis RM *What do we currently know about nutrition and bone health in relation to United Kingdom public health policy with particular reference to calcium and vitamin D?* doi: 10.1017/S0007114507791924, 155
Franczyk-Żarów M, Kostogrys RB, Szymczyk B, Jawień J, Gajda M, Cichocki T, Wojnar L, Chłopicki S & Pisulewski P *Functional effects of eggs, naturally enriched with conjugated linoleic acid, on the blood lipid profile, development of atherosclerosis and composition of atherosclerotic plaque in apolipoprotein E and low-density lipoprotein receptor double-knockout mice (apoE/LDLR$^{-/-}$),* doi: 10.1017/S0007114507793893, 49
Freake H, see Lee M-S, 1182
Fromentin G, see Pichon L, 739
Fromme H, see Kohlhuber M, 1127

Frost G, see Barratt R, 1025
Fujiwara R, Watanabe J & Sonoyama K *Assessing changes in composition of intestinal microbiota in neonatal BALB/c mice through cluster analysis of molecular markers,* doi: 10.1017/S0007114507862349, 1174
Fukui M, see Murakami K, 639
Fuller Z, see Rungapamestry V, 773
Furukawa Y, see Goto T, 248
Furukawa Y, see Watanabe-Kamiyama M, 756
Gajda M, see Franczyk-Żarów M, 49
Galli GV, see Dell'Agli M, 945
Gallo M, see García-Fuentes E, 1178
Galmiche J-P, see Paineau D, 311
Ganesan A, see Radhika G, 398
Gannon MC, see Nuttall FQ, 511
García L, see García-Fuentes E, 1178
García-Fuentes E, Gallo M, García L, Prieto S, Alcaide-Torres J, Santiago P, Velasco I & Soriguer F *Amniotic fluid iodine concentrations do not vary in pregnant women with varying iodine intake,* doi: 10.1017/S0007114507862398, 1178
Garcia AL, Koebnick C, Dagnelie PC, Strassner C, Elmadfa I, Katz N, Leitzmann C & Hoffmann I *Long-term strict raw food diet is associated with favourable plasma β-carotene and low plasma lycopene concentrations in Germans,* doi: 10.1017/S0007114507868486, 1293
Garibay-Escobar A, see Hernández J, 224
Garrido-Sánchez L, see Tinahones FJ, 44
Gemke RJBJ, see Remmers F, 1149
George T, see Tzounis X, 782
Geppert J, Demmelmair H, Hornstra G & Koletzko B *Co-supplementation of healthy women with fish oil and evening primrose oil increases plasma docosahexaenoic acid, γ-linolenic acid and dihomo-γ-linolenic acid levels without reducing arachidonic acid concentrations,* doi: 10.1017/S0007114507801577, 360
German B, see Pouteau E, 287
Gho WM, see Wang Y, 303
Gibney MJ, see Joyce T, 1117
Gibson GR, see Costabile A, 110
Gibson GR, see Tzounis X, 782
Gielbert A, see Hanlon N, 559
Gil A, see Gil-Campos M, 909
Gil A, see Vieites JM, 732
Gil-Campos M, Larqué E, Ramírez-Tortosa MC, Linde J, Villada I, Cañete R & Gil A *Changes in plasma fatty acid composition after intake of a standardised breakfast in prepubertal obese children,* doi: 10.1017/S0007114507831722, 909
Gin H, see Helmer C, 632
Ginn A, see Allen NE, 653
Glümer C, see Lau C, 1089
Glahn RP, see Tako E, 472
Gluckman PD, see Burdge GC, 540
Goda T, see Mochizuki K, 481
Godfrey KM, see Crozier SR, 869
Goldberg GR, see Schoenmakers I, 1171
Gorselink M, see Koopman R, 571
Goto T, Shirakawa H, Furukawa Y & Komai M *Decreased expression of carbonic anhydrase isozyme II, rather than of isozyme VI, in submandibular glands in long-term zinc-deficient rats,* doi: 10.1017/S0007114507801565, 248
Grace PB, see Allen NE, 653
Grau S, see Mateu-de Antonio J, 846
Gray AR, see Crowe FL, 168
Greeley EH, see Lawler DF, 793
Green TJ, see Crowe FL, 168
Green TJ, see Woo J, 1330
Grewal K, see Puri S, 876
Griinari JM, see Shingfield KJ, 971
Gronowitz E, Lorentzon M, Ohlsson C, Mellström D & Strandvik B *Docosahexaenoic acid is associated with endosteal circumference in long bones in young males with cystic fibrosis,* doi: 10.1017/S000711450780105X, 160
Guéguen L, see Brandolini M, 210
Guéraud F, see Pierre F, 1000
Guarnieri S, Loft S, Riso P, Porrini M, Risom L, Poulsen HE, Dragsted LO & Møller P *DNA repair phenotype and dietary antioxidant supplementation,* doi: 10.1017/S0007114507842796, 1018
Guillerm S, see Delarue J, 1041
Guillodo M-P, see Delarue J, 1041
Gunnell D, see Rogers PJ, 421
Gustenhoff P, see Andersen S, 319
Gylling H, see Nissinen MJ, 370
Haites NE, see Sharp L, 379
Håkansson N, see Messerer M, 626
Halabalaki M, see Papoutsi Z, 715
Haleem MA, see Wrieden WL, 1344
Hamad EM, see Sato M, 1013
Hamer DH, see Ahmed T, 1388
Hammon H, see Löhrke B, 1255
Hampson DJ, see Kim JC, 1217
Hanlon N, Coldham N, Gielbert A, Kuhnert N, Sauer MJ, King LJ & Ioannides C *Absolute bioavailability and dose-dependent pharmacokinetic behaviour of dietary doses of the chemopreventive isothiocyanate sulforaphane in rat,* doi: 10.1017/S0007114507824093, 559
Hansen EW, see Bartelt S, 1230
Hansen HS, see Bartelt S, 1230
Hanson MA, see Burdge GC, 540
Happonen P, Läärä E, Hiltunen L & Luukinen H *Coffee consumption and mortality in a 14-year follow-up of an elderly northern Finnish population,* doi: 10.1017/S0007114507871650, 1354
Harris J, see Foster E, 175
Harvey KA, Arnold T, Rasool T, Antalis C, Miller SJ & Siddiqui RA *Trans-fatty acids induce pro-inflammatory responses and endothelial cell dysfunction,* doi: 10.1017/S0007114507842772, 723
Haslemore RM, see Thomson BM, 614
Hay SM, see McNeil CJ, 262
Hayward RC, see Rogers PJ, 421
He Zhao X, see Woo J, 1330
Heatherley SV, see Rogers PJ, 421
Heidemann C, see Schulze MB, 1107
Helmer C, Bricout H, Gin H & Barberger-Gateau P *Macronutrient intake and discrepancy with nutritional recommendations in a group of elderly diabetic subjects,* doi: 10.1017/S0007114507812050, 632
Helwig U, see Rubin D, 76
Henle T, see Pexa A, 993
Henry CJK, Lightowler HJ, Newens K, Sudha V, Radhika G, Sathya RM & Mohan V *Glycaemic index of common foods tested in the UK and India,* doi: 10.1017/S0007114507831801, 840
Hepworth SJ, see Dimitropoulou P, 667
Hernández J, Garibay-Escobar A, Mendoza-Mendoza A, Pinelli-Saavedra A & Valenzuela O *Effect of exogenous vitamin E on proliferation and cytokine production in peripheral blood mononuclear cells from patients with tuberculosis,* doi: 10.1017/S0007114507795302, 224
Hess R, see Keenam J, 692
Hildonen C, see te Velde SJ, 893
Hill AM, see Milte CM, 1083
Hill TR, Cotter AA, Mitchell S, Boreham CA, Dubitzky W, Murray L, Strain JJ, Flynn A, Robson PJ, Wallace JMW, Kiely M & Cashman KD *Vitamin D status and its determinants in adolescents from the Northern Ireland Young Hearts 2000 cohort,* doi: 10.1017/S0007114507842826, 1061

Hiltunen L, see Happonen P, 1354
Hirche F, see Bettzieche A, 952
Hirota N, see Murakami K, 639
Hjerkinn EM, see Ellingsen I, 674
Hoac T, see Ravn-Haren G, 883
Hoffmann I, see Garcia AL, 1293
Hoffmann K, see Schulze MB, 1107
Holvik K, see Meyer HE, 941
Hong Y-W, see Huang H-L, 230
Hoover H, see Nuttall FQ, 511
Horcajada MN, see Mardon J, 764
Horiuchi K, see Watanabe-Kamiyama M, 756
Hornstra G, see Geppert J, 360
Houdijk JGM, see Wellock IJ, 520
Howe PRC, see Milte CM, 1083
Huang C-J, see Huang H-L, 230
Huang H-L, Hong Y-W, Wong Y-H, Chen Y-N, Chyuan J-H, Huang C-J, Chao P-M *Bitter melon (Momordica charantia L.) inhibits adipocyte hypertrophy and down regulates lipogenic gene expression in adipose tissue of diet-induced obese rats,* doi: 10.1017/S0007114507793947, 230
Huang Y, see Ng CH, 749
Huber M, see Kummeling I, 598
Huhtanen P, see Shingfield KJ, 971
Il'yasova D, see Knovich MA, 1226
Imaizumi K, see Sato M, 1013
Inskip HM, see Crozier SR, 869
Intorre F, see Stewart-Knox BJ, 129
Inui H, see Ebara S, 503
Ioannides C, see Hanlon N, 559
Islam MZ, Shamim AA, Kemi V, Nevanlinna A, Akhtaruzzaman M, Laaksonen M, Jehan AH, Jahan K, Khan HU & Lamberg-Allardt C *Vitamin D deficiency and low bone status in adult female garment factory workers in Bangladesh,* doi: 10.1017/S0007114508894445, 1322
Ivanova A, see Knovich MA, 1226
Iversen F, see Andersen S, 319
Jackson AA, see Burdge GC, 540
Jacob K, Periago MJ, Böhm V & Berruezo GR *Influence of lycopene and vitamin C from tomato juice on biomarkers of oxidative stress and inflammation,* doi: 10.1017/S0007114507791894, 137
Jacobs DR, see Pereira MA, 1169
Jacqmain M, see Major G, 1157
Jahan K, see Islam MZ, 1322
Jann A, see Pouteau E, 287
Jawień J, see Franczyk-Żarów M, 49
Jehan AH, see Islam MZ, 1322
Jentsch W, see Löhrke B, 1255
Jochmann N, Lorenz M, von Krosigk A, Martus P, Böhm V, Baumann G, Stangl K & Stangl V *The efficacy of black tea in ameliorating endothelial function is equivalent to that of green tea,* doi: 10.1017/S0007114507838992, 863
Jonkers CF *Book Review,* doi: 10.1017/S0007114507872308, 1394
Joosen AMCP, Bakker AHF, Kersten S & Westerterp KR *The PPARγ ligand rosiglitazone influences triacylglycerol metabolism in non-obese males, without increasing the transcriptional activity of PPARγ in the subcutaneous adipose tissue,* doi: 10.1017/S0007114507824081, 487
Jørgensen K, see Ravn-Haren G, 883
Jørgensen T, see Lau C, 1089
Joyce T, McCarthy SN & Gibney MJ *Relationship between energy from added sugars and frequency of added sugars intake in Irish children, teenagers and adults,* doi: 10.1017/S0007114507853372, 1117
Kamiyama S, see Watanabe-Kamiyama M, 756
Kampman E, see Pellis L, 703
Kärkkäinen MUM, see Kemi VE, 832
Karaolis-Danckert N, see Libuda L, 1370
Karmisholt J, see Andersen S, 813
Karp HJ, see Kemi VE, 832
Kassi E, see Papoutsi Z, 715
Katz N, see Garcia AL, 1293
Kawai H, see Mochizuki K, 481
Kawakami H, see Sato M, 1013
Kealy RD, see Lawler DF, 793
Keenan J, Hess R & Kolberg L *Nutrition Discussion Forum,* - doi: 10.1017/S0007114507824111, 692
Keijer J, see Pellis L, 703
Keller K, see Minderico C, 432
Kemi V, see Islam MZ, 1322
Kemi VE, Kärkkäinen MUM, Karp HJ, Laitinen KAE & Lamberg-Allardt CJE *Increased calcium intake does not completely counteract the effects of increased phosphorus intake on bone: an acute dose–response study in healthy females,* doi: 10.1017/S0007114507831783, 832
Keogh J, see Bird AR, 1032
Kersten S, see Joosen AMCP, 487
Kersting M, see Alexy U, 345
Kersting M, see Libuda L, 1370
Kessler D, see Rogers PJ, 421
Key T, see Allen NE, 653
Key T, see Ashwell M, 198
Khan HU, see Islam MZ, 1322
Khaw K-t, see Welch AA, 1335
Khaw KT, see Ashwell M, 198
Khossousi A, Binns CW, Dhaliwal SS & Pal S *The acute effects of psyllium on postprandial lipaemia and thermogenesis in overweight and obese men,* doi: 10.1017/S0007114507864804, 1068
Kiely M, see Hill TR, 1061
Kim C-T, see Chung MJ, 67
Kim KH, see Chung MJ, 67
Kim JC, Mullan BP, Hampson DJ & Pluske JR *Addition of oat hulls to an extruded rice-based diet for weaner pigs ameliorates the incidence of diarrhoea and reduces indices of protein fermentation in the gastrointestinal tract,* doi: 10.1017/S0007114507868462, 1217
Kim Y, see Lee M-S, 1182
King LJ, see Hanlon N, 559
King RA, see Bird AR, 1032
Klepp K-I, see te Velde SJ, 893
Klinder A, see Costabile A, 110
Knovich MA, Il'yasova D, Ivanova A & Molnár I *The association between serum copper and anaemia in the adult Second National Health and Nutrition Examination Survey (NHANES II) population,* doi: 10.1017/S0007114507864828, 1226
Koch C, see Rühl R, 1239
Koebnick C, see Garcia AL, 1293
Kohlhuber M, Rebhan B, Schwegler U, Koletzko B & Fromme H *Breastfeeding rates and duration in Germany: a Bavarian cohort study,* doi: 10.1017/S0007114508864835, 1127
Kok F, see Pellis L, 703
Kok FJ, see Li Y, 565
Kolberg L, see Keenam J, 692
Koletzko B, see Geppert J, 360
Koletzko B, see Kohlhuber M, 1127
Komai M, see Goto T, 248
Komai M, see Watanabe-Kamiyama M, 756
Kongsbak K, Thilsted SH & Wahed MA *Effect of consumption of the nutrient-dense, freshwater small fish Amblypharyngodon mola on biochemical indicators of vitamin A status in Bangladeshi children: a randomised, controlled study of efficacy,* doi: 10.1017/S000711450781912X, 581
Koopman R, Verdijk LB, Beelen M, Gorselink M, Kruseman AN, Wagenmakers AJM, Kuipers H & van Loon LJC *Co-ingestion of leucine with protein does not further augment post-exercise muscle protein synthesis rates in elderly men,* doi: 10.1017/S0007114507812013, 571

Kostogrys RB, see Franczyk-Żarów M, 49
Kral TVE, see Lowe MR, 925
Krath BN, see Ravn-Haren G, 1190
Krath BN, see Ravn-Haren G, 883
Krauze-Brzósko K, see Rotondo S, 240
Kruseman AN, see Koopman R, 571
Kuhnert N, see Hanlon N, 559
Kuhnle GGC, see Tzounis X, 782
Kuipers H, see Koopman R, 571
Kulkarni B, see Shatrugna V, 1310
Kumar PA, see Shatrugna V, 1310
Kummeling I, Thijs C, Huber M, van de Vijver LPL, Snijders BEP, Penders J, Stelma F, van Ree R, van den Brandt PA & Dagnelie PC *Consumption of organic foods and risk of atopic disease during the first 2 years of life in the Netherlands,* doi: 10.1017/S0007114507815844, 598
Kuntz S, Rudloff S & Kunz C *Oligosaccharides from human milk influence growth-related characteristics of intestinally transformed and non-transformed intestinal cells,* doi: 10.1017/S0007114507824068, 462
Kunz C, see Kuntz S, 462
Kwik-Uribe C, see Tzounis X, 782
Kwun I-S, see Lee M-S, 1182
Kyriazakis I, see Wellock IJ, 520
Läärä E, see Happonen P, 1354
Laaksonen M, see Islam MZ, 1322
Laitinen KAE, see Kemi VE, 832
Lake A *Book Review,* doi: 10.1017/S0007114507815832, 694
Lallès J-P, see Montoya CA, 531
Lam CWK, see Woo J, 1330
Lamarche B, see Ruel G, 352
Lamberg-Allardt C, see Islam MZ, 1322
Lamberg-Allardt CJE, see Kemi VE, 832
Lambert A, see Woo J, 1330
Lamothe V, see Vergne S, 333
Lanham-New S, see Ashwell M, 198
Laplaize B, see Pichon L, 739
Larqué E, see Gil-Campos M, 909
Larsen EH, see Ravn-Haren G, 1190
Larsen EH, see Ravn-Haren G, 883
Larson BT, see Lawler DF, 793
Lartigau I, see Paineau D, 311
Lau C, Glümer C, Toft U, Tetens I, Carstensen B, Jørgensen T, Borch-Johnsen K *Identification and reproducibility of dietary patterns in a Danish cohort: the Inter99 study,* doi: 10.1017/S0007114507837494, 1089
Lau E, see Woo J, 1330
Lau WY, see Woo J, 1330
Laurberg P, see Andersen S, 319
Laurberg P, see Andersen S, 813
Lauritzen L, see Bartelt S, 1230
Lauritzen L, see Damsgaard CT, 147
Lawler DF, Larson BT, Ballam JM, Smith GK, Biery DN, Evans RH, Greeley EH, Segre M, Stowe HD & Kealy RD *Diet restriction and ageing in the dog: major observations over two decades,* doi: 10.1017/S0007114507871686, 793
Lebecque P, see Mardon J, 764
Lee M-S, Park J-Y, Freake H, Kwun I-S & Kim Y *Green tea catechin enhances cholesterol 7α-hydroxylase gene expression in HepG2 cells,* doi: 10.1017/S0007114507864816, 1182
Lee S-J, see Chung MJ, 67
Lee YK, see Chow WL, 449
Lei X, see Tako E, 472
Leitzmann C, see Garcia AL, 1293
Lemieux S, see Ruel G, 352
Lemke N, see Rubin D, 76
Leonard C, see Costabile A, 110
Leonczak J, see Tzounis X, 782
Leray V, see Serisier S, 1208
Leterme P, see Montoya CA, 531
Leung J, see Woo J, 1330
Leung LK, see Wang Y, 303
Leung LK, see Yuen YM, 1007
Leung P-C, see Zhang Y, 494
Li Y, see Xu Y, 455
Li Y, Yang X, Zhai F, Kok FJ, Zhao W, Piao J, Zhang J, Cui Z & Ma G *Prevalence of the metabolic syndrome in Chinese adolescents,* doi: 10.1017/S0007114507797064, 565
Libuda L, Alexy U, Sichert-Hellert W, Stehle P, Karaolis-Danckert N, Buyken AE & Kersting M *Pattern of beverage consumption and long-term association with body-weight status in German adolescents – results from the DONALD study,* doi: 10.1017/S0007114507862362, 1370
Lightowler HJ, see Henry CJK, 840
Lillycrop KA, see Burdge GC, 540
Lin C-c & Yin M-c *Effects of cysteine-containing compounds on biosynthesis of triacylglycerol and cholesterol and anti-oxidative protection in liver from mice consuming a high-fat diet,* doi: 10.1017/S0007114507793881, 37
Lin X-M, Tian W, Ma L, Long Z, Zhang J, Shen X-Y, Zhang X-P *The responses of serum transferrin receptors to iron supplements in subjects with iron-deficiency erythropoiesis and iron-deficiency anaemia,* doi: 10.1017/S0007114507797040, 416
Lindén J, see Misikangas M, 963
Linde J, see Gil-Campos M, 909
Ling X, see Woo J, 1330
Lips E, see Pellis L, 703
Little J, see Sharp L, 379
Liu H, see Sun W, 1247
Liu J, see Sun W, 1247
Liu JF, see Dimitropoulou P, 667
Liu Q, see Rideout TC, 984
Liu Y, see Zhang W, 1301
Livingstone MBE, see Moorhead SA, 1362
Lloyd J, see Foster E, 175
Loft S, see Guarnieri S, 1018
Lofthus CM, see Meyer HE, 941
Löhrke B, Derno M, Hammon H, Metges C, Melcher J, Viergutz T, Jentsch W & Zühlke H *Nutritional level and energetic source are determinants of elevated circulatory lipohydroperoxide concentration,* doi: 10.1017/S000711450886240X, 1255
Long Z, see Lin X-M, 416
Longbottom PJ, see Wrieden WL, 1344
López MG, see Urías-Silvas JE, 254
López-Miranda J, see Pérez-Martínez P, 699
Lorentzon M, see Gronowitz E, 160
Lorenz M, see Jochmann N, 863
Lowe MR, Kral TVE & Miller-Kovach K *Weight-loss maintenance 1, 2 and 5 years after successful completion of a weight-loss programme,* doi: 10.1017/S0007114507862416, 925
Luque S, see Mateu-de Antonio J, 846
Luque X, see Salas-Salvadó J, 1380
Luscombe-Marsh ND, Smeets AJPG Westerterp-Plantenga MS *Taste sensitivity for monosodium glutamate and an increased liking of dietary protein,* doi: 10.1017/S000711450788295X, 904
Luukinen H, see Happonen P, 1354
Ma G, see Li Y, 565
Ma L, see Lin X-M, 416
Macdonald H, see Ashwell M, 198
Magot T, see Serisier S, 1208
Maiani G, see Stewart-Knox BJ, 129
Major GC, Doucet E, Jacqmain M, St-Onge M, Bouchard C & Tremblay A *Multivitamin and dietary supplements, body weight and appetite: results from a cross-sectional and a randomised double-blind placebo-controlled study,* doi: 10.1017/S0007114507853335, 1157
Makrides M, see Parsons AG, 1133

Malaguti M, see Bordoni A, 191
Maloney CA, see McNeil CJ, 262
Manarini S, see Rotondo S, 240
Manios Y, see Farajian P, 918
Marín C, see Pérez-Martínez P, 699
Marín-Casino M, see Mateu-de Antonio J, 846
Maranesi M, see Bordoni A, 191
Mardon J, Zangarelli A, Walrand S, Davicco MJ, Lebecque P, Demigné C, Horcajada MN, Boirie Y & Coxam V *Impact of energy and casein or whey protein intake on bone status in a rat model of age-related bone loss*, doi: 10.1017/S0007114507837469, 764
Marosvölgyi T, see Rühl R, 1239
Marrugat J, see Schröder H, 442
Marshall L, see Foster E, 175
Martí H, see Schröder H, 442
Martelli N, see Rotondo S, 240
Martin-Rouas C, see Pichon L, 739
Martins PA, see Martins VJB, 297
Martins SS, see Minderico C, 432
Martins VJB, Martins PA, das Neves J & Sawaya AL *Children recovered from malnutrition exhibit normal insulin production and sensitivity*, doi: 10.1017/S0007114507793959, 297
Martus P, see Jochmann N, 863
Marty Y, see Delarue J, 1041
Marwaha RK, see Puri S, 876
Maschi O, see Dell'Agli M, 945
Masson LF, see Sharp L, 379
Mateu-de Antonio J, Grau S, Luque S, Marín-Casino M, Albert I & Ribes E *Comparative effects of olive oil-based and soyabean oil-based emulsions on infection rate and leucocyte count in critically ill patients receiving parenteral nutrition*, doi: 10.1017/S0007114507837433, 846
Mathers J, see Ashwell M, 198
Mathers JC, see Bradbury J, 649
Mathers JC, see Foster E, 175
Mathers JC, see Foster E, 185
Mathers JC, see McKay JA, 550
Mathers JC, see Spencer JPE, 12
Matsuyama H, see Sato M, 1013
Matthews JNS, see Foster E, 175
Matthews JNS, see Foster E, 185
McBurney R *Bookreview*, doi: 10.1017/S0007114507791870, 214
McCarthy S, see Whelan K, 23
McCarthy SN, see Joyce T, 1117
McCartney D *Book Review*, doi: 10.1017/S0007114507845533, 1168
McKay JA, Williams EA & Mathers JC *Gender-specific modulation of tumorigenesis by folic acid supply in the Apc$^{+/Min}$ mouse during early neonatal life*, doi: 10.1017/S0007114507819131, 550
McLure SA, see Moore HJ, 1266
McNaughton SA, see Rogers PJ, 421
McNeil CJ, Hay SM, Rucklidge GJ, Reid M, Duncan G, Maloney CA & Rees WD *Disruption of lipid metabolism in the liver of the pregnant rat fed folate-deficient and methyl donor-deficient diets*, doi: 10.1017/S0007114507798999, 262
Meirim I, see Pouteau E, 287
Melcher J, see Löhrke B, 1255
Mellström D, see Gronowitz E, 160
Mendoza-Mendoza A, see Hernández J, 224
Messerer M, Håkansson N, Wolk A & Åkesson A *Dietary supplement use and mortality in a cohort of Swedish men*, doi: 10.1017/S0007114507812049, 626
Metges C, see Löhrke B, 1255
Meunier N, see Stewart-Knox BJ, 129
Meydani SN, see Ahmed T, 1388
Meyer BJ, see Sullivan BL, 660
Meyer HE, Holvik K, Lofthus CM & Tennakoon SUB *Vitamin D status in Sri Lankans living in Sri Lanka and Norway*, doi: 10.1017/S0007114507844138, 941
Miettinen TA, see Nissinen MJ, 370
Mihály J, see Rühl R, 1239
Mikogami T, see Pichon L, 739
Miller DD, see Tako E, 472
Miller SJ, see Harvey KA, 723
Miller-Kovach K, see Lowe MR, 925
Millward DJ, see Barratt R, 1025
Milte CM, Coates AM, Buckley JD, Hill AM & Howe PRC *Dose-dependent effects of docosahexaenoic acid-rich fish oil on erythrocyte docosahexaenoic acid and blood lipid levels*, doi: 10.1017/S000711450785344X, 1083
Minderico C, Silva AM, Keller K, Branco TL, Martins SS, Palmeira A, Barata J, Carnero EA, Rocha PM, Teixeira PJ & Sardinha L *Usefulness of different techniques for measuring body composition changes during weight loss in overweight and obese women*, doi: 10.1017/S0007114507815789, 432
Minihane A-M, see Spencer JPE, 12
Minihane AM *Book Review*, doi: 10.1017/S0007114507853463, 1393
Miranda C, see Romaguera D, 390
Mishellany-Dutour A, Renaud J, Peyron M-A, Rimek F & Woda A *Is the goal of mastication reached in young dentates, aged dentates and aged denture wearers?* doi: 10.1017/S0007114507795284, 121
Misikangas M, Tanayama H, Rajakangas J, Lindén J, Pajari A-M & Mutanen M *Inulin results in increased levels of β-catenin and cyclin D1 as the adenomas increase in size from small to large in the Min/+ mouse*, doi: 10.1017/S0007114507853414, 963
Mitchell S, see Hill TR, 1061
Miyashita M & Tokuyama K *Moderate exercise reduces serum triacylglycerol concentrations but does not affect pre-heparin lipoprotein lipase concentrations after a moderate-fat meal in young men*, doi: 10.1017/S0007114507853438, 1076
Mochizuki H, see Mochizuki K, 481
Mochizuki K, Kawai H, Mochizuki H, Shimada M, Takase S & Goda T *Fatty acids in component of milk enhance the expression of the cAMP-response-element-binding-protein-binding protein (CBP)/p300 gene in developing rats*, doi: 10.1017/S0007114507831680, 481
Moeseneder J, see Rüfer CE, 1048
Moesgaard S, see Ravn-Haren G, 1190
Mohan Sathya R, see Radhika G, 398
Mohan V, see Henry CJK, 840
Mohan V, see Radhika G, 398
Moinard C, Nicolis I, Neveux N, Darquy S, Bénazeth S & Cynober L *Dose-ranging effects of citrulline administration on plasma amino acids and hormonal patterns in healthy subjects: the Citrudose pharmacokinetic study*, doi: 10.1017/S0007114507841110, 855
Mollé D, see Montoya CA, 531
Møller P, see Guarnieri S, 1018
Molnár I, see Knovich MA, 1226
Montoya CA, Leterme P, Beebe S, Souffrant WB, Mollé D & Lallès J-P *Phaseolin type and heat treatment influence the biochemistry of protein digestion in the rat intestine*, doi: 10.1017/S0007114507819179, 531
Moore HJ, Ells LJ, McLure SA, Crooks S, Cumbor D, Summerbell CD & Batterham AM *The development and evaluation of a novel computer program to assess previous-day dietary and physical activity behaviours in school children: The Synchronised Nutrition and Activity Program^{TM} (SNAP^{TM})*, doi: 10.1017/S0007114507862428, 1266
Moore N, see Vergne S, 333
Moorhead SA, Livingstone MBE, Dunne A & Welch RW *The level of carbonation of a sugar-sweetened beverage*

preload affects satiety and short-term energy and food intakes, doi: 10.1017/S0007114507871662, 1362
Morell MK, see Bird AR, 1032
Moreno JJ, see Vivancos M, 1199
Mougios V, see Zafeiridis A, 212
Moutsatsou P, see Papoutsi Z, 715
Moynihan PJ, see Bradbury J, 649
Muir KR, see Dimitropoulou P, 667
Mullan BP, see Kim JC, 1217
Mulligan A, see Welch AA, 1335
Mulvaney CE, see Bradbury J, 649
Murakami K, Sasaki S, Takahashi Y, Okubo H, Hirota N, Notsu A, Fukui M & Date C *Reproducibility and relative validity of dietary glycaemic index and load assessed with a self-administered diet-history questionnaire in Japanese adults*, doi: 10.1017/S0007114507812086, 639
Murray L, see Hill TR, 1061
Mutanen M, see Misikangas M, 963
Naismith DJ, see Braschi A, 1284
Nakano Y, see Ebara S, 503
Nakao M, see Ebara S, 503
Napolitano A, see Costabile A, 110
Narejos S, see Salas-Salvadó J, 1380
Nayee S, see Dimitropoulou P, 667
Nelson M, see Foster E, 175
Nelson M, see Foster E, 185
Ness AR, see Rogers PJ, 421
Nevanlinna A, see Islam MZ, 1322
Neveux N, see Moinard C, 855
Newens K, see Henry CJK, 840
Neyrinck A, see Urías-Silvas JE, 254
Ng CH, Yao XQ, Huang Y & Chen Z-Y *Oxidised cholesterol is more hypercholesterolaemic and atherogenic than non-oxidised cholesterol in hamsters*, doi: 10.1017/S0007114507842784, 749
Nguyen P, see Serisier S, 1208
Nicolis I, see Moinard C, 855
Nieto A, see Bocanegra A, 272
Nissinen MJ, Gylling H & Miettinen TA *Responses of surrogate markers of cholesterol absorption and synthesis to changes in cholesterol metabolism during various amounts of fat and cholesterol feeding among healthy men*, doi: 10.1017/S0007114507811998, 370
Noakes M, see Bird AR, 1032
Nogueira JAD, see de Sousa EF, 1275
Nunzio MD, see Bordoni A, 191
Northstone K & Emmett PM *A comparison of methods to assess changes in dietary patterns from pregnancy to 4 years postpartum obtained using principal components analysis*, doi: 10.1017/S0007114507842802, 1099
Northstone K, Emmett PM & Rogers I *Dietary patterns in pregnancy and associations with nutrient intakes*, doi: 10.1017/S0007114507803977, 406
Nothnagel M, see Rubin D, 76
Notsu A, see Murakami K, 639
Nuttall FQ, Schweim K, Hoover H & Gannon MC *Effect of the LoBAG$_{30}$ diet on blood glucose control in people with type 2 diabetes*, doi: 10.1017/S0007114507819155, 511
O'Connor JM, see Stewart-Knox BJ, 129
O'Keeffe M, see Foster E, 185
Ogston SA, see Wrieden WL, 1344
Ohinata K, see Watanabe-Kamiyama M, 756
Ohlsson C, see Gronowitz E, 160
Okubo H, see Murakami K, 639
Olukosi OA, Cowieson AJ & Adeola O *Energy utilization and growth performance of broilers receiving diets supplemented with enzymes containing carbohydrase or phytase activity individually or in combination*, doi: 10.1017/S0007114507815807, 682
Ordovás JM, see Pérez-Martínez P, 699
Ornstein K, see Pouteau E, 287
Ouguerram K, see Serisier S, 1208
Overvad K, see Ravn-Haren G, 1190
Park KW, see Chung MJ, 67
Paineau D, Payen F, Panserieu S, Coulombier G, Sobaszek A, Lartigau I, Brabet M, Galmiche J-P, Tripodi D, Sacher-Huvelin S, Chapalain V, Zourabichvili O, Respondek F, Wagner A & Bornet FRJ *The effects of regular consumption of short-chain fructo-oligosaccharides on digestive comfort of subjects with minor functional bowel disorders*, doi: 10.1017/S000711450779894X, 311
Pajari A-M, see Misikangas M, 963
Pal S, see Khossousi A, 1068
Palmeira A, see Minderico C, 432
Panserieu S, see Paineau D, 311
Papoutsi Z, Kassi E, Chinou I, Halabalaki M, Skaltsounis LA & Moutsatsou P *Walnut extract (Juglans regia L.) and its component ellagic acid exhibit anti-inflammatory activity in human aorta endothelial cells and osteoblastic activity in the cell line KS483*, doi: 10.1017/S0007114507837421, 715
Park J-Y, see Lee M-S, 1182
Parr H, see Stewart-Knox BJ, 129
Parsons AG, Zhou SJ, Spurrier NJ & Makrides M *Effect of iron supplementation during pregnancy on the behaviour of children at early school age: long-term follow-up of a randomised controlled trial*, doi: 10.1017/S0007114507853359, 1133
Pasqui F, see Bordoni A, 191
Payen F, see Paineau D, 311
Payne A, see Wrieden WL, 1344
Pecce R, see Rotondo S, 240
Pedersen KM, see Andersen S, 319
Pedersen KM, see Andersen S, 813
Pellis L, Dommels Y, Venema D, Polanen Av, Lips E, Baykus H, Kok F, Kampman E & Keijer J *High folic acid increases cell turnover and lowers differentiation and iron content in human HT29 colon cancer cells*, doi: 10.1017/S0007114507824147, 703
Penders J, see Kummeling I, 598
Pérez-Jiménez F, see Pérez-Martínez P, 699
Pérez-Martínez P, Adarraga-Cansino MD, de la Puebla RAF, Blanco-Molina A, Delgado-Lista J, Marín C, Ordovás JM, López-Miranda J & Pérez-Jiménez F *The -675 4G/5G polymorphism at the Plasminogen Activator Inhibitor 1* (PAI-1) *gene modulates plasma Plasminogen Activator Inhibitor 1 concentrations in response to dietary fat consumption*, doi: 10.1017/S0007114507831710, 699
Pérez-Rodrigo C, see te Velde SJ, 893
Pereira MA & Jacobs DR *Sugar-sweetened beverages, weight gain and nutritional epidemiological study design*, doi: 10.1017/S0007114507868498, 1169
Perez P, see Vergne S, 333
Periago MJ, see Jacob K, 137
Perona JS, Avella M, Botham KM & Ruiz-Gutierrez V *Differential modulation of hepatic very low-density lipoprotein secretion by triacylglycerol-rich lipoproteins derived from different oleic-acid rich dietary oils*, doi: 10.1017/S0007114507793868, 29
Peters TJ, see Rogers PJ, 421
Petersen SB, see Andersen S, 319
Petersson H, Basu S, Cederholm T & Risérus U *Serum fatty acid composition and indices of stearoyl-CoA desaturase activity are associated with systemic inflammation: longitudinal analyses in middle-aged men*, doi: 10.1017/S0007114507871674, 1186
Pexa A, Boeger RH, Henle T, Schwedhelm E & Deussen A *Effects of moderate hyperhomocysteinaemia induced by 4 weeks methionine-enriched diet on metabolite profile and mesenteric artery function in rats*, doi: 10.1017/S0007114508853408, 993

Peyron M-A, see Mishellany-Dutour A, 121
Piao J, see Li Y, 565
Pichon L, Potier M, Tome D, Mikogami T, Laplaize B, Martin-Rouas C & Fromentin G *High-protein diets containing different milk protein fractions differently influence energy intake and adiposity in the rat*, doi: 10.1017/S0007114507831709, 739
Pierre F, Santarelli R, Taché S, Guéraud F & Corpet DE *Beef meat promotion of dimethylhydrazine-induced colorectal carcinogenesis biomarkers is suppressed by dietary calcium*, doi: 10.1017/S0007114507843558, 1000
Pimm CL, see Williams YJ, 100
Pinelli-Saavedra A, see Hernández J, 224
Pisulewski P, see Franczyk-Żarów M, 49
Pluske JR, see Kim JC, 1217
Polanen Av, see Pellis L, 703
Polito A, see Stewart-Knox BJ, 129
Pomerleau S, see Ruel G, 352
Pons A, see Romaguera D, 390
Pool-Zobel BL, see Schnäbele K, 606
Popovski S, see Williams YJ, 100
Porrini M, see Guarnieri S, 1018
Potier M, see Pichon L, 739
Potier M, see Vergne S, 333
Poudroux W, see Serisier S, 1208
Poulsen HE, see Guarnieri S, 1018
Pouteau E, Rochat F, Jann A, Meirim I, Sanchez-Garcia J-L, Ornstein K, German B & Ballèvre O *Chicory increases acetate turnover, but not propionate and butyrate peripheral turnovers in rats*, doi: 10.1017/S0007114507815790, 287
Power ML & Schulkin J *Sex differences in fat storage, fat metabolism, and the health risks from obesity: possible evolutionary origins*, doi: 10.1017/S0007114507853347, 931
Prentice A, see Ashwell M, 198
Prentice A, see Schoenmakers I, 1171
Prieto S, see García-Fuentes E, 1178
Puertollano E, Puertollano MA, Cruz-Chamorro L, de Cienfuegos GÁ, Ruiz-Bravo A & de Pablo MA *Orally administered Lactobacillus plantarum reduces pro-inflammatory interleukin secretion in sera from Listeria monocytogenes infected mice*, doi: 10.1017/S0007114507832533, 819
Puertollano MA, see Puertollano E, 819
Pufulete M, see Whelan K, 23
Puri S, Marwaha RK, Agarwal N, Tandon N, Agarwal R, Grewal K, Reddy DHK & Singh S *Vitamin D status of apparently healthy schoolgirls from two different socioeconomic strata in Delhi: relation to nutrition and lifestyle*, doi: 10.1017/S0007114507831758, 876
Rabot S, see Rungapamestry V, 773
Radhika G, see Henry CJK, 840
Radhika G, Sudha V, Mohan Sathya R, Ganesan A & Mohan V *Association of fruit and vegetable intake with cardiovascular risk factors in urban south Indians*, doi: 10.1017/S0007114507803965, 398
Rae G, see Stewart-Knox BJ, 129
Rajakangas J, see Misikangas M, 963
Ramírez-Tortosa MC, see Gil-Campos M, 909
Rani KU, see Shatrugna V, 1310
Rao GVN, see Shatrugna V, 1310
Rasool T, see Harvey KA, 723
Ratcliffe B, see Rungapamestry V, 773
Rautonen N, see Tiihonen K, 826
Ravn-Haren G, Bügel S, Krath BN, Hoac T, Stagsted J, Jørgensen K, Bresson JR, Larsen EH & Dragsted LO *A short-term intervention trial with selenate, selenium-enriched yeast and selenium-enriched milk: effects on oxidative defence regulation*, doi: 10.1017/S0007114507825153, 883
Ravn-Haren G, Krath BN, Overvad K, Cold S, Moesgaard S, Larsen EH & Dragsted LO *Effect of long-term selenium yeast intervention on activity and gene expression of antioxidant and xenobiotic metabolising enzymes in healthy elderly volunteers from the Danish Prevention of Cancer by Intervention by Selenium (PRECISE) Pilot Study*, doi: 10.1017/S0007114507882948, 1190
Rea SM, see Williams YJ, 100
Rebhan B, see Kohlhuber M, 1127
Rechkemmer G, see Rüfer CE, 1048
Rechkemmer G, see Schnäbele K, 606
Reddy DHK, see Puri S, 876
Reddy GC, see Shatrugna V, 1310
Rees WD, see McNeil CJ, 262
Reid M, see McNeil CJ, 262
Remmers F, Schreuder MF, Gemke RJBJ, Delemarre-van de Waal HA *Energy intake and resting energy expenditure in adult male rats after early postnatal food restriction*, doi: 10.1017/S0007114507843546, 1149
Renaud J, see Mishellany-Dutour A, 121
Renti E, see Farajian P, 918
Respondek F, see Paineau D, 311
Ribes E, see Mateu-de Antonio J, 846
Richardson AJ *n-3 Fatty acids and mood: the devil is in the detail*, doi: 10.1017/S0007114507824123, 221
Rideout TC, Liu Q, Wood P & Fan MZ *Nutrient utilisation and intestinal fermentation are differentially affected by the consumption of resistant starch varieties and conventional fibres in pigs*, doi: 10.1017/S0007114507853396, 984
Rimek F, see Mishellany-Dutour A, 121
Risérus U, see Petersson H, 1186
Riso P, see Guarnieri S, 1018
Risom L, see Guarnieri S, 1018
Robinson LE, see Field CJ, 91
Robinson SM, see Crozier SR, 869
Robson PJ, see Hill TR, 1061
Rocha PM, see Minderico C, 432
Rochat F, see Pouteau E, 287
Rockell JEP, see Woo J, 1330
Roddam AW, see Allen NE, 653
Rode T, see Alexy U, 345
Rogers I, see Northstone K, 406
Rogers PJ, Appleton KM, Kessler D, Peters TJ, Gunnell D, Hayward RC, Heatherley SV, Christian LM, McNaughton SA & Ness AR *No effect of n-3 long-chain polyunsaturated fatty acid (EPA and DHA) supplementation on depressed mood and cognitive function: a randomised controlled trial*, doi: 10.1017/S0007114507801097, 421
Rojo-Martínez G, see Tinahones FJ, 44
Romaguera D, Samman N, Rossi A, Miranda C, Pons A & Tur JA *Dietary patterns of the Andean population of Puna and Quebrada of Humahuaca, Jujuy, Argentina*, doi: 10.1017/S0007114507801061, 390
Roser S, see Schnäbele K, 606
Rossi A, see Romaguera D, 390
Rotondo S, Krauze-Brzósko K, Manarini S, Martelli N, Pecce R, Evangelista V, Donati MB & Cerletti C *Inhibition by soya isoflavones of human polymorphonuclear leukocyte function: possible relevance for the beneficial effects of soya intake*, doi: 10.1017/S0007114507797052, 240
Rousset P, see Brandolini, 210
Rubin D, Helwig U, Nothnagel M, Lemke N, Schreiber S, Fölsch UR, Döring F & Schrezenmeir J *Postprandial plasma adiponectin decreases after glucose and high fat meal and is independently associated with postprandial triacylglycerols but not with −11388 promoter polymorphism*, doi: 10.1017/S0007114507791857, 76
Rucklidge GJ, see McNeil CJ, 262
Rudloff S, see Kuntz S, 462
Ruel G, Pomerleau S, Couture P, Lemieux S, Lamarche B & Couillard C *Low-calorie cranberry juice supplementation reduces plasma oxidized LDL and cell adhesion molecule concentrations in men*, doi: 10.1017/S0007114507811986, 352

Rüfer CE, Moeseneder J, Briviba K, Rechkemmer G & Bub A *Bioavailability of astaxanthin stereoisomers from wild (Oncorhynchus spp.) and aquacultured (Salmo salar) salmon in healthy men: a randomised, double-blind study,* doi: 10.1017/S0007114507845521, 1048
Rühl R, Koch C, Marosvölgyi T, Mihály J, Schweigert FJ, Worm M & Decsi T *Fatty acid composition of serum lipid classes in mice following allergic sensitisation with or without dietary docosahexaenoic acid-enriched fish oil substitution,* doi: 10.1017/S0007114507862374, 1239
Ruijschop RMAJ, Boelrijk AEM, de Ru JA, de Graaf C, Westerterp-Plantenga MS *Effects of retro-nasal aroma release on satiation,* doi: 10.1017/S0007114507837482, 1140
Ruiz-Bravo A, see Puertollano E, 819
Ruiz-Gutierrez V, see Perona JS, 29
Rungapamestry V, Rabot S, Fuller Z, Ratcliffe B & Duncan AJ *Influence of cooking duration of cabbage and presence of colonic microbiota on the excretion of N-acetylcysteine conjugates of allyl isothiocyanate and bioactivity of phase 2 enzymes in F344 rats,* doi: 10.1017/S0007114507841134, 773
Sacher-Huvelin S, see Paineau D, 311
Salas-Salvadó J, Farrés X, Luque X, Narejos S, Borrell M, Basora J, Anguera A, Torres F, Bulló M & Balanza R *Effect of two doses of a mixture of soluble fibres on body weight and metabolic variables in overweight or obese patients: a randomised trial,* doi: 10.1017/S0007114507868528, 1380
Samman N, see Romaguera D, 390
Sanchez MA, see Stewart-Knox BJ, 129
Sanchez-Garcia J-L, see Pouteau E, 287
Sánchez-Muniz FJ, see Bocanegra A, 272
Sánchez-Pozo A, see Vieites JM, 732
Santarelli R, see Pierre F, 1000
Santiago P, see García-Fuentes E, 1178
Sardinha L, see Minderico C, 432
Sasaki S, see Murakami K, 639
Sathya RM, see Henry CJK, 840
Sato M, Uzu K, Yoshida T, Hamad EM, Kawakami H, Matsuyama H, El-Gawad IAA & Imaizumi K *Effects of milk fermented by Lactobacillus gasseri SBT2055 on adipocyte size in rats,* doi: 10.1017/S0007114507839006, 1013
Sauer MJ, see Hanlon N, 559
Sauvant P, see Vergne S, 333
Sawaya AL, see Martins VJB, 297
Schienkiewitz A, see Schulze MB, 1107
Schnäbele K, Briviba K, Bub A, Roser S, Pool-Zobel BL & Rechkemmer G *Effects of carrot and tomato juice consumption on faecal markers relevant to colon carcinogenesis in humans,* doi: 10.1017/S0007114507819143, 606
Schoenmakers I, Goldberg GR & Prentice A *Abundant sunshine and vitamin D deficiency,* doi: 10.1017/S0007114508898662, 1171
Schröder H, Elosua R, Vila J, Martí H, Covas M-I & Marrugat J *Prevalence in the eligibility for weight loss treatment in a Mediterranean population,* doi: 10.1017/S0007114507808002, 442
Schreiber S, see Rubin D, 76
Schreuder MF, see Remmers F, 1149
Schrezenmeir J, see Rubin D, 76
Schulkin J, see Power ML, 931
Schulz M, see Schulze MB, 1107
Schulze MB, Schulz M, Heidemann C, Schienkiewitz A, Hoffmann K & Boeing H *Carbohydrate intake and incidence of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Potsdam Study,* doi: 10.1017/S0007114507853360, 1107
Schwedhelm E, see Pexa A, 993
Schwegler U, see Kohlhuber M, 1127
Schweigert FJ, see Rühl R, 1239
Schweim K, see Nuttall FQ, 511
Seal CJ, see Bradbury J, 649
Segre M, see Lawler DF, 793
Seljeflot I, see Ellingsen I, 674
Selvaraj N, see Sridhar MG, 806
Serisier S, Leray V, Poudroux W, Magot T, Ouguerram K & Nguyen P *Effects of green tea on insulin sensitivity, lipid profile and expression of PPARα and PPARγ and their target genes in obese dogs,* doi: 10.1017/S0007114507862386, 1208
Shamim AA, see Islam MZ, 1322
Sharp L, Little J, Brockton NT, Cotton SC, Masson LF, Haites NE & Cassidy J *Polymorphisms in the methylenetetrahydrofolate reductase (MTHFR) gene, intakes of folate and related B vitamins and colorectal cancer: a case–control study in a population with relatively low folate intake,* doi: 10.1017/S0007114507801073, 379
Shatrugna V, Kulkarni B, Kumar PA, Balakrishna N, Rani KU, Reddy GC & Rao GVN *Relationship between women's occupational work and bone health: a study from India,* doi: 10.1017/S0007114507868504, 1310
Shearer M, see Ashwell M, 198
Shen X-Y, see Lin X-M, 416
Shih C-K, Chang J-H, Yang S-H, Chou T-W & Cheng H-H *β-Carotene and canthaxanthin alter the pro-oxidation and antioxidation balance in rats fed a high-cholesterol and high-fat diet,* doi: 10.1017/S0007114507781497, 59
Shimada M, see Mochizuki K, 481
Shingfield KJ, Ahvenjärvi S, Toivonen V, Vanhatalo A, Huhtanen P & Griinari JM *Effect of incremental levels of sunflower-seed oil in the diet on ruminal lipid metabolism in lactating cows,* doi: 10.1017/S0007114507853323, 971
Shirakawa H, see Goto T, 248
Shirakawa H, see Watanabe-Kamiyama M, 756
Sichert-Hellert W, see Alexy U, 345
Sichert-Hellert W, see Libuda L, 1370
Siddiqui RA, see Harvey KA, 723
Silva AM, see Minderico C, 432
Simpson EA, see Stewart-Knox BJ, 129
Singh S, see Puri S, 876
Skaltsounis LA, see Papoutsi Z, 715
Skeaff CM, see Crowe FL, 168
Skeaff CM, see Woo J, 1330
Skillman LC, see Williams YJ, 100
Smeets AJ & Westerterp-Plantenga MS *Acute effects on metabolism and appetite profile of one meal difference in the lower range of meal frequency,* doi: 10.1017/S0007114507877646, 1316
Smeets AJPG, see Luscombe-Marsh ND, 904
Smith GK, see Lawler DF, 793
Smith WA, see Bloomer RJ, 1055
Snijders BEP, see Kummeling I, 598
Sobaszek A, see Paineau D, 311
Solis AD, see Bloomer RJ, 1055
Sonoyama K, see Fujiwara R, 1174
Soriguer F, see García-Fuentes E, 1178
Soriguer F, see Tinahones FJ, 44
Souffrant WB, see Montoya CA, 531
Spencer JPE, see Tzounis X, 782
Spencer JPE, Abd El Mohsen MM, Minihane A-M & Mathers JC *Biomarkers of the intake of dietary polyphenols: strengths, limitations and application in nutrition research,* doi: 10.1017/S0007114507798938, 12
Spurrier NJ, see Parsons AG, 1133
Sridhar MG, Vinayagamoorthi R, Suyambunathan VA, Bobby Z & Selvaraj N *Bitter gourd (Momordica charantia) improves insulin sensitivity by increasing skeletal muscle insulin-stimulated IRS-1 tyrosine phosphorylation in high-fat-fed rats,* doi: 10.1017/S000711450783176X, 806
St-Onge M, see Major G, 1157
Stagsted J, see Ravn-Haren G, 883
Stangl GI, see Bettzieche A, 952

Stangl K, see Jochmann N, 863
Stangl V, see Jochmann N, 863
Stehle P, see Libuda L, 1370
Stelma F, see Kummeling I, 598
Stensel DJ, see Burns SF, 211
Stephen A, see Ashwell M, 198
Stevenson E, see Trenell MI, 326
Stewart-Knox BJ, Simpson EEA, Parr H, Rae G, Polito A, Intorre F, Sanchez MA, Meunier N, O'Connor JM, Maiani G, Coudray C & Strain JJ *Taste acuity in response to zinc supplementation in older Europeans*, doi: 10.1017/S0007114507781485, 129
Stockmann K, see Trenell MI, 326
Stone E, see Ashwell M, 198
Stowe HD, see Lawler DF, 793
Strain JJ, see Hill TR, 1061
Strain JJ, see Stewart-Knox BJ, 129
Strandvik B, see Gronowitz E, 160
Strassner C, see Garcia AL, 1293
Suárez A, see Vieites JM, 732
Sudha V, see Henry CJK, 840
Sudha V, see Radhika G, 398
Sullivan BL, Brown J, Williams PG & Meyer BJ *Dietary validation of a new Australian food-frequency questionnaire that estimates long-chain n-3 polyunsaturated fatty acids*, doi: 10.1017/S0007114507837408, 660
Summerbell CD, see Moore HJ, 1266
Sun SZ, see Zhang W, 1301
Sun W, Wang Q, Chen B, Liu J, Liu H & Xu W *γ-Tocotrienol-induced apoptosis in human gastric cancer SGC-7901 cells is associated with a suppression in mitogen-activated protein kinase signalling*, doi: 10.1017/S0007114507879128, 1247
Suomalainen T, see Tiihonen K, 826
Suyambunathan VA, see Sridhar MG, 806
Szymczyk B, see Franczyk-Żarów M, 49
Taché S, see Pierre F, 1000
Takahashi Y, see Murakami K, 639
Takase S, see Mochizuki K, 481
Tako E, Glahn RP, Welch RM, Lei X, Yasuda K & Miller DD *Dietary inulin affects the expression of intestinal enterocyte iron transporters, receptors and storage protein and alters the microbiota in the pig intestine*, doi: 10.1017/S0007114507825128, 472
Tanayama H, see Misikangas M, 963
Tandon N, see Puri S, 876
Tang Y, see Xu Y, 455
Tee Khaw K, see Ashwell M, 198
Teixeira PJ, see Minderico C, 432
Tennakoon SUB, see Meyer HE, 941
Terpling S, see Andersen S, 319
Tetens I, see Lau C, 1089
te Velde SJ, Brug J, Wind M, Hildonen C, Bjelland M, Pérez-Rodrigo C & Klepp K-I *Effects of a comprehensive fruit- and vegetable-promoting school-based intervention in three European countries: the Pro Children Study*, doi: 10.1017/S000711450782513X, 893
Thijs C, see Kummeling I, 598
Thilsted SH, see Kongsbak K, 581
Thomson BM, Vannoort RW & Haslemore RM *Dietary exposure and trends of exposure to nutrient elements iodine, iron, selenium and sodium from the 2003–4 New Zealand Total Diet Survey*, doi: 10.1017/S0007114507812001, 614
Tian H, see Zhang W, 1301
Tian W, see Lin X-M, 416
Tiihonen K, Suomalainen T, Tynkkynen S & Rautonen N *Effect of prebiotic supplementation on a probiotic bacteria mixture: comparison between a rat model and clinical trials*, doi: 10.1017/S0007114507825141, 826
Timm M, see Bartelt S, 1230
Tinahones FJ, Cardona F, Rojo-Martínez G, Almaraz MC, Cardona I, Vázquez-Mellado J, Garrido-Sánchez L, Collantes E & Soriguer F *Decreased levels of uric acid after oral glucose challenge is associated with triacylglycerol levels and degree of insulin resistance*, doi: 10.1017/S0007114507787470, 44
Toft U, see Lau C, 1089
Toivonen V, see Shingfield KJ, 971
Tokuyama K, see Miyashita M, 1076
Tome D, see Pichon L, 739
Tomoda M, see Ebara S, 503
Tonstad S, see Ellingsen I, 674
Toovey AF, see Williams YJ, 100
Topping DL, see Bird AR, 1032
Torres F, see Salas-Salvadó J, 1380
Torres MI, see Vieites JM, 732
Tosh SM, see Wood PJ, 691
Travis RC, see Allen NE, 653
Tremblay A, see Major G, 1157
Trenell MI, Stevenson E, Stockmann K, Brand-Miller J *Effect of high and low glycaemic index recovery diets on intramuscular lipid oxidation during aerobic exercise*, doi: 10.1017/S0007114507798963, 326
Tripodi D, see Paineau D, 311
Truby H, see Barratt R, 1025
Tseng C-Y, see Chang W-C, 709
Tuohy KM, see Costabile A, 110
Tur JA, see Romaguera D, 390
Tynkkynen S, see Tiihonen K, 826
Tzounis X, Vulevic J, Kuhnle GGC, George T, Leonczak J, Gibson GR, Kwik-Uribe C & Spencer JPE *Flavanol monomer-induced changes to the human faecal microflora*, doi: 10.1017/S0007114507853384, 782
Urías-Silvas JE, Cani PD, Delmée E, Neyrinck A, López MG & Delzenne NM *Physiological effects of dietary fructans extracted from Agave tequilana Gto. and Dasylirion spp.*, doi: 10.1017/S0007114507795338, 254
Uzu K, see Sato M, 1013
Valenzuela O, see Hernández J, 224
Van Aerde JE, see Field CJ, 91
van de Brandt PA, see Kummeling I, 598
van de Vijver LPL, see Kummeling I, 598
van Loon LJC, see Koopman R, 571
van Loveren H, see Ezendam J, 83
van Ree R, see Kummeling I, 598
van Tongeren M, see Dimitropoulou P, 667
Vanhatalo A, see Shingfield KJ, 971
Vannoort RW, see Thomson BM, 614
Vázquez-Mellado J, see Tinahones FJ, 44
Velasco I, see García-Fuentes E, 1178
Venema D, see Pellis L, 703
Verdijk LB, see Koopman R, 571
Vergne S, Bennetau-Pelissero C, Lamothe V, Chantre P, Potier M, Asselineau J, Perez P, Durand M, Moore N & Sauvant P *Higher bioavailability of isoflavones after a single ingestion of a soya-based supplement than a soya-based food in young healthy males*, doi: 10.1017/S0007114507803953, 333
Vieites JM, de la Torre R, del Carmen Ramírez M, Torres MI, Sánchez-Pozo A, Gil A & Suárez A *Exogenous nucleosides accelerate differentiation of rat intestinal epithelial cells*, doi: 10.1017/S0007114507837457, 732
Viergutz T, see Löhrke B, 1255
Vila J, see Schröder H, 442
Villada I, see Gil-Campos M, 909
Vinayagamoorthi R, see Sridhar MG, 806
Vivaldi LJ, see de Sousa EF, 1275
Vivancos M & Moreno JJ *Effect of resveratrol, tyrosol and β-sitosterol on oxidised low-density lipoprotein-stimulated oxidative stress, arachidonic acid release and prostaglandin E_2 synthesis by RAW 264.7 macrophages*, doi: 10.1017/S0007114507876203, 1199
von Krosigk A, see Jochmann N, 863
Vuaran MS, see Bird AR, 1032

Vulevic J, see Tzounis X, 782
Wagenmakers AJM, see Koopman R, 571
Wagner A, see Paineau D, 311
Wahed MA, see Kongsbak K, 581
Wallace JMW, see Hill TR, 1061
Walrand S, see Mardon J, 764
Wang Q, see Sun W, 1247
Wang X, see Zhang W, 1301
Wang Y, Gho WM, Chan FL, Chen S & Leung LK *The red clover (Trifolium pratense) isoflavone biochanin A inhibits aromatase activity and expression,* doi: 10.1017/S0007114507811974, 303
Watanabe F, see Ebara S, 503
Watanabe J, see Fujiwara R, 1174
Watanabe-Kamiyama M, Kamiyama S, Horiuchi K, Ohinata K, Shirakawa H, Furukawa Y & Komai M *Antihypertensive effect of biotin in stroke-prone spontaneously hypertensive rats,* doi: 10.1017/S0007114507841122, 756
Waterhouse AL, see Cooper KA, 1
Weghuber D & Widhalm K *Effect of 3-month treatment of children and adolescents with familial and polygenic hypercholesterolaemia with a soya-substituted diet,* doi: 10.1017/S0007114507807999, 281
Weiße K, see Bettzieche A, 952
Welch AA, Mulligan A, Bingham SA & Khaw K-t *Urine pH is an indicator of dietary acid–base load, fruit and vegetables and meat intakes: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Norfolk population study,* doi: 10.1017/S0007114507862350, 1335
Welch RM, see Tako E, 472
Welch RW, see Moorhead SA, 1362
Wellock IJ, Fortomaris PD, Houdijk JGM, Wiseman J & Kyriazakis I *The consequences of non-starch polysaccharide solubility and inclusion level on the health and performance of weaned pigs challenged with enterotoxigenic Escherichia coli,* doi: 10.1017/S0007114507819167, 520
Wells A *Book Review,* doi: 10.1017/S0007114507824135, 695
Westerterp KR, see Joosen AMCP, 487
Westerterp-Plantenga MS, see Luscombe-Marsh ND, 904
Westerterp-Plantenga MS, see Ruijschop RMA, 1140
Westerterp-Plantenga MS, see Smeets AJ, 1316
Whelan K, McCarthy S & Pufulete M *Genetics and diet–gene interactions: involvement, confidence and knowledge of dietitians,* doi: 10.1017/S0007114507793935, 23
Whiting SJ, see Woo J, 1330
Widhalm K, see Weghuber D, 281
Williams AJ, see Williams YJ, 100
Williams EA, see McKay JA, 550
Williams PG, see Sullivan BL, 660
Williams YJ, Rea SM, Popovski S, Pimm CL, Williams AJ, Toovey AF, Skillman LC & Wright DG *Reponses of sheep to a vaccination of entodinial or mixed rumen protozoal antigens to reduce rumen protozoal numbers,* doi: 10.1017/S0007114507801553, 100
Williamson G, see Cooper KA, 1
Wind M, see te Velde SJ, 893
Wiseman J, see Wellock IJ, 520
Woda A, see Mishellany-Dutour A, 121
Wojnar L, see Franczyk-Żarów M, 49
Wolk A, see Messerer M, 626
Wong M-S, see Zhang Y, 494
Wong Y-H, see Huang H-L, 230
Woo J, Lam CWK, Leung J, Lau WY, Lau E, Ling X, Xing X, He Zhao X, Skeaff CM, Bacon CJ, Rockell JEP, Lambert A, Whiting SJ & Green TJ *Very high rates of vitamin D insufficiency in women of child-bearing age living in Beijing and Hong Kong,* doi: 10.1017/S0007114507844382, 1330
Wood P, see Rideout TC, 984
Wood PJ & Tosh SM *Nutrition Discussion Forum,* doi: 10.1017/S000711450782410X, 691
Worm M, see Rühl R, 1239
Wrieden WL, see Foster E, 175
Wrieden WL, see Foster E, 185
Wrieden WL, Longbottom PJ, Adamson AJ, Ogston SA, Payne A, Haleem MA & Barton KL *Estimation of typical food portion sizes for children of different ages in Great Britain,* doi: 10.1017/S0007114507868516, 1344
Wright DG, see Williams YJ, 100
Wu C-F, see Zhang Y, 494
Xing X, see Woo J, 1330
Xu W, see Sun W, 1247
Xu Y, Tang Y & Li Y *Effect of folic acid on prenatal alcohol-induced modification of brain proteome in mice,* doi: 10.1017/S0007114507812074, 455
Yamaji R, see Ebara S, 503
Yang S-H, see Shih C-K, 59
Yang X, see Li Y, 565
Yao XQ, see Ng CH, 749
Yasuda K, see Tako E, 472
Yin M-c, see Lin C-c, 37
Yoshida T, see Sato M, 1013
Yu Y-M, see Chang W-C, 709
Yuen YM & Leung LK *Genistein and daidzein induced apoA-I transactivation in hepG2 cells expressing oestrogen receptor-α,* doi: 10.1017/S0007114507853426, 1007
Zafeiridis A & Mougios V *Reply by Zafeiridis and Mougios,* doi: 10.1017/S0007114507761767, 212
Zangarelli A, see Mardon J, 764
Zhai F, see Li Y, 565
Zhang J, see Li Y, 565
Zhang J, see Lin X-M, 416
Zhang W, Wang X, Liu Y, Tian H, Flickinger B, Empie MW & Sun SZ *Dietary flaxseed lignan extract lowers plasma cholesterol and glucose concentrations in hypercholesterolaemic subjects,* doi: 10.1017/S0007114507871649, 1301
Zhang X-P, see Lin X-M, 416
Zhang Y, Leung P-C, Che C-T, Chow H-K, Wu C-F, Wong M-S *Improvement of bone properties and enhancement of mineralization by ethanol extract of Fructus Ligustri Lucidi,* doi: 10.1017/S0007114507801589, 494
Zhao W, see Li Y, 565
Zhou SJ, see Parsons AG, 1133
Zourabichvili O, see Paineau D, 311
Zühlke H, see Löhrke B, 1255